

MATERIAL SAFETY DATA SHEET

1. American Polywater Corporation

11222 - 60th Street North
P.O. Box 53
Stillwater, MN 55082
Phone: (651) 430-2270
Fax: (651) 430-3634

**Product Name: SpliceMaster®
CableWash™ Washing Solution**

Date Reviewed: April 11, 2007
Reviewed By: S. H. Dahlke

Emergency Number: (651) 430-2270

2. HAZARDOUS INGREDIENTS

This product contains no reportable hazardous components under 29 CFR 1910.1200. It contains <1% ethylene glycol monobutyl ether with PEL-TWA of 25 ppm. All components are listed on the TSCA inventory.

3. HAZARDS IDENTIFICATION

Emergency Overview

Water Solution Clear, amber-colored liquid. Soap water solution.

Slippery if spilled. In case of eye contact, flush eyes with water.

Eye Contact: Direct eye contact may cause eye irritation. This irritation is minimal and expected to be transient.

Skin Contact: This product has low skin irritation potential. There is no dermal toxicity hazard.

Inhalation (Breathing): No inhalation hazard expected with water vapor.

Ingestion (Swallowing): Based on ingredients, LD₅₀ (rat) is estimated to be well over 50 g/kg.

Carcinogenic Status: This substance has not been identified as a carcinogen or probable carcinogen by NTP, IARC or OSHA, nor have any of its components.

4. FIRST AID

Eye Contact: Flush eyes with a large quantity of water for 15 minutes. If irritation continues, seek medical attention.

Skin Contact: If skin becomes irritated, wash area thoroughly with soap and water. If irritation continues, seek medical attention.

Inhalation (Breathing): No first aid expected to be required. Not an inhalation hazard.

Ingestion (Swallowing): No first aid expected to be required. If difficulties arise, contact a physician.

5. FIRE AND EXPLOSION HAZARD

Flash Point: No flash via PMCC.

Flammable Limits: Product is not flammable.

Extinguishing Media: Does not apply.

Special Procedures: Does not apply.

Unusual Hazards: Sealed container can build up pressure when exposed to high heat.

Hazardous Decomposition Products: High temperature steam, potentially carbon monoxide and carbon dioxide.

6. ACCIDENTAL RELEASE MEASURES

SpliceMaster® CableWash™ Washing Solution is slippery. It should be washed, swept, or squeegeed from floor using wet mops. Outside, spills should be covered with sand, dirt or gravel.

7. HANDLING AND STORAGE

Keep product containers closed when not in use.

8. CONTROL MEASURES

Respiratory Protection: Normal ventilation adequate.

Protective Gloves: For repeated or prolonged skin contact, the use of impermeable gloves is recommended to prevent drying and possible irritation.

Eye Protection: Safety glasses recommended.

9. PHYSICAL DATA

Appearance: A clear, amber-colored liquid. Foams with agitation. Characteristic odor.

Vapor Pressure: 18mm @ 72°F (22°C)

Specific Gravity (H₂O = 1): .97

Percent Volatiles (Weight): 88%

Volatile Organic Compound (VOC): <10 gms/L

Boiling Point: ~ 212°F (100°C)

Ignition Temperature: None

Vapor Density (Air = 1): .9 to 1.1

Solubility in Water: Infinite

Percent Water (Weight): 62%

pH: 8.0 to 10.0

10. REACTIVITY DATA

Stability: Stable

Incompatibility: Avoid materials which react with water.

Hazardous Polymerization: Will not occur.

11. HEALTH HAZARD/TOXICOLOGICAL INFORMATION

Refer to Section 3 for available information on potential health effects.

12. DISPOSAL CONSIDERATIONS

Dispose of product in accordance with local, county, state, and federal regulations. SpliceMaster® CableWash™ Washing Solution is not considered hazardous waste under RCRA.

13. TRANSPORTATION

DOT Hazard Class: Not Applicable

DOT Shipping Name: Not Applicable

For domestic purposes, this product is not defined or designated as a hazardous material by the U.S. Department of Transportation.

14. REGULATORY STATUS

Canada WHMIS Class: NC

Hazard Categories for SARA Section 311/312 Reporting	Acute No	Chronic No	Fire No	Pressure No	Reactive No
---	--------------------	----------------------	-------------------	-----------------------	-----------------------

	CERCLA/SARA Sec. 302		SARA Sec. 313
<u>Components</u>	<u>Hazardous Substance RQ</u>	<u>EHS TPQ</u>	<u>Toxic Release</u>

The components of SpliceMaster® CableWash™ Washing Solution are not affected by these Superfund regulations.