

SEALANTS



Polywater® FST™ Duct Seal/Water Block Kit contains a cartridge with a two-part foam base that, when injected, expands and hardens in 8 minutes, keeping out water, acids, greases, insects, rodents, etc. The kit contains enough material to seal up to five 2" ducts. A separate high ratio caulking tool is used to inject the foam. FST™ is superior to aerosol cans of foam and duct putty. Complies with NEC Sections 225.27, 230.8, 300.5 (G), and 300.7 (A) on Raceway Seals.



FST-MINI is used for 1.5" (38mm) and smaller conduits. It comes in a dual 50 ml cartridge with 1:1 ratio. TOOL-50-11 is needed to apply FST-MINI. FST™ foam wets and adheres to metals, plastics, and concrete, and can seal ducts of different sizes, base materials, and shapes. It conforms around complex cable fill configurations. A kit contains everything required to install the duct block (application tools available separately).



FSTBP™ Duct Sealant comes in a single use burst pack design for sealing 5 to 6 inch conduits. Multiple burst pouches can be used for larger openings. The foam wets and adheres to metals, plastics, and concrete. The burst pouch requires no tool for installation. The pouch has a nozzle to deploy the FSTBP™ resin into the conduit. This semi-permanent seal blocks both water and gas under moderate pressure.



Polywater® UPR™ Utility Pole Repair makes repairing single or multiple holes caused by woodpeckers on wood utility poles easy. The two-part formula was specifically formulated to expand in the pole cavity.

Polywater® UPR™ NF "No Flow" is a fast-reacting formula designed to thicken immediately. This prevents product from running out of small holes or cracks in the pole and getting on clothing or climbing gear.

Cat. No.	Pack. Description	Case Qty
FST-250KIT1	Kit Contains: 1 8.5-oz two-part Foam Sealant caulking tube style (cat# FST-250), 3 Mixing nozzles, 4 24" Foam damming strips (cat# FST-DAM), 1 24" Abrasive strip, 1 Pair disposable gloves, 1 Positioning rod for foam dam, 1 Pre-treating wipe (cat# HP-P158D), 1 Resealing cap, 1 Instruction sheet TOOL-250 SOLD SEPARATELY	1
FST-250KIT	Same as above	6
FST-250	1 8.5-oz two-part Foam Sealant caulking tube style (cat# FST-250), 1 Mixing nozzle, 1 Resealing cap	12
FST-DAM	1 24" Foam damming strip	24
MXR-30T-10	Mixing Nozzle 10-pack for FST-250	1
TOOL-250	1 High-ratio caulking gun	1
FST-MINI-1	Kit Contains: 1-50mL cartridge, 2 mixing nozzles, 6 foam discs, 2 pairs disposable gloves, 1 instruction sheet TOOL-50-11 SOLD SEPARATELY	1
FST-MINI-1G	Same as kit above with TOOL-50-11	1
FST-MINI-B6	6 FST-MINI-1	1
FST-MINI-B6G	Same as kit above with TOOL-50-11	1
TOOL-50-11	Dispensing tool for FST-MINI	1
FSTBP-200B6	Kit Contains: 6-200mL FST™ Burst Packs, 6 pairs of gloves, 1 instruction sheet	1
FSTBP-200KIT1	Kit Contains: 1-200mL FST™ Burst Pack, 4- Foam damming strips, 1-sanding cloth, 1-Pre-treating wipe (RP-1), 2-Pairs of gloves, 1-instruction sheet	1
FSTBP-200KIT6	Kit Contains: 6-200mL FST™ Burst Pack, 24-Foam damming strips, 1-sanding cloth, 6-Pre-treating wipe (RP-1), 6-Pairs of gloves, 1-instruction sheet	1

Cat. No.	Pack. Description	Case Qty
UPR-PRKIT3	Kit Contains: 3 UPR™ Pole Repair cartridges, 4 mixing nozzles, 5 green-treated wood blocks, 1 roll of stretch wrap, 1 pair of gloves, Instructions	1
UPR-PRKIT12	Kit Contains: 12 UPR™ Pole Repair cartridges, 16 mixing nozzles, 18 green-treated wood blocks, 1 roll of stretch wrap, 4 pair of gloves, Instructions	1
UPR-NFKIT4	Kit Contains: 4 UPR™ Pole Repair cartridges, 6 mixing nozzles, 1 roll of stretch wrap, 1 pair of gloves, Instructions	1
UPR-NFKIT12	Kit Contains: 12 UPR™ No Flow Pole Repair 600ml side-by-side cartridges, 16 mixing nozzles, 1 roll of stretch wrap, 3 pair of gloves, Instructions	1
UPR-NF6B10	Kit Contains: 10 UPR™ No Flow Pole Repair 600ml side-by-side cartridges, 10 mixing nozzles, 1 roll of stretch wrap, 3 pairs of gloves, instructions. Tool Required	1

SEALANTS



Polywater® InstaGrout™ Sealant creates a barrier to protect transformer pads, J boxes, control cabinets, DOT signal cabinets, and switchgear base openings. Polywater® InstaGrout™ keeps out moisture and stops rodents, snakes, spiders and insects such as wasps and fire ants from burrowing up through earthen gaps into the pad enclosure, potentially causing costly outages or safety hazards to crews. It is compatible with cable jacket materials and will not corrode metal. It flows around cables, conduits and other complex geometry.

Cat. No.	Pack. Description	Case Qty
PMT-1	Kit Contains: 1 Bottle Part A, 1 Bottle Part B, 1 Pair Gloves, Instruction Sheet (covers one ft ² at 3-inch depth)	2
PMT-2	Kit Contains: 1 PMT Burst Pack, 1 Pair of Gloves, and Instruction Sheet	2
PMT-3	Kit Contains: Same as PMT-1 w/ addition of 1 Mixing Pail, 1 Mixing Stick (covers three ft ² at 3-inch depth)	1
PMT-10	Kit Contains: 1 Jug Part A, 1 Jug Part B, 2 HTC-1 (Grime-Away™) Wipes, 1 Pair Gloves, 1 Mixing Pail, Instruction Sheet (recommend using a drill paint mixer to mix) (covers ten ft ² at 3-inch depth)	1



PowerPatch™ Leak Repair System creates a durable, permanent seal that can repair active oil and SF6 gas leaks in transformers, lead-sheathed cables, potheads, and other oil-filled electrical equipment in minutes. Active oil leaks are blocked by the PowerPatch™ System's 2-part putty stick. Then the proprietary quick-curing, 2-part paste overcoat, which has a 41kv dielectric strength, forms a seal that is impervious to water, oil, and weather.

Cat. No.	Pack. Description	Case Qty
EPCT-KIT1	Kit Contains: 2 PowerPatch® Sealant, 2-part Cartridges, 4 Static Mixers, 2 putty sticks (1-3/4" ea), 8 RP-1 Cleaning Wipes, 24" strip sanding cloth, 4 application sticks, 1 instruction sheet	1
EPCT-KIT1G	Same as kit above with TOOL-50-11	1
EP-KIT11	Kit Contains: One sealed plastic bag with 2-part sealant (part A & B), putty stick (1-3/4"), 2 RP-1 cleaning wipes, 12" sandpaper strip, 2 mixing sticks, 1 pair gloves, and instructions.	1
EP-KITB6	Kit Contains: Six sealed plastic bags, each with 2-part sealant (part A & B), putty stick (1-3/4"), 2 RP-1 cleaning wipes, 12" sandpaper strip, 2 mixing sticks, 1 pair gloves, and instructions	1
EP-KITB12	Kit Contains: Twelve sealed plastic bags, each with 2-part sealant (part A & B), putty stick (1-3/4"), 2 RP-1 cleaning wipes, 12" sandpaper strip, 2 mixing sticks, 1 pair gloves, and instructions.	1
EP-KIT51	Kit Contains: 6 sets 2-part sealant (part A & B), putty stick (7"), 12 RP-1 cleaning wipes, 6 strips sandpaper strips (24"), 12 mixing sticks, 6 pair gloves, and instructions. Seals multiple leaks.	1
TOOL-50-11	Application Tool to dispense cartridge package, EPCT	1



Polywater® Splice Shield™ Sealant is packaged in an easy-to-use self-dispensing cartridge. Only one application is needed for a thick protective coating over "taped" splices. Dries quickly and does not need to be "tack free" before direct burial. Sealant leaves a thick flexible coating that offers excellent protection against oil, water and corrosion. It contains no dangerous low-TLV or highly flammable solvents. The kit contains all the materials needed to seal multiple splices.

Cat. No.	Pack. Description	Case Qty
CS-KIT	Kit Contains: 1 Polywater® Splice Shield™, 2-part self-dispensing cartridge, 5 Mixing sticks, 5 Single gloves	10

American Polywater Electrical Products

ADHESIVES



BonDuit® Conduit Adhesive A high strength sealant for bonding polyethylene, PVC, fiberglass, metals, and composites. Creates airtight and watertight splices. Bonds are durable with high tensile strength within an hour. The strong bonds withstand movement and vibration.

Cat. No.	Pack. Description	Case Qty
BT-KIT	Kit Contains: 2 50ml adhesive cartridges, 8 mixing nozzles, 1 strip of sanding cloth, and 8 RP-1 cleaning wipes. (Dispensing tool not included).	1
BT-KITG	Same as kit above with TOOL-50-11	1
BT-KITB6	Kit Contains: 12 adhesive cartridges, 48 mixing nozzles, 6 strips of sanding cloth, and 48 RP-1 cleaning wipes. (Dispensing tool not included).	1
BT-KITB6G	Same as kit above with TOOL-50-11	1
BT-CART12PK	Kit Contains: 12 adhesive cartridges and 36 mixing nozzles only.	1
TOOL-50-11	1 Dispensing tool	1
MXR-12T-10	10 Mixing nozzles	1



PowerPatch® Pad N Pole™ Repair System repairs and restores damaged utility enclosures and light poles, preventing human, water, pest or debris entry through the repaired area. The PowerPatch® Pad N Pole™ two-part adhesive bonds to fiberglass, polyethylene, metal, concrete and composites. Fiberglass cloth (saturated with the adhesive) provides structural integrity for a durable, long lasting repair. You can paint immediately after application to color match the repaired structure.

Cat. No.	Pack. Description	Case Qty
BRK-KIT	Kit Contains: 1 PowerPatch® Pad N Pole™ Repair Adhesive Cartridge, 6 mixing nozzles, 1 strip of sanding cloth, 6 HP™ Tandem Cleaning and Drying Wipes (HP-P158ID), 6 Foam Brushes, 1 Square Foot Patch Material, 1 Instruction Sheet	1
BRK-KITG	Same as kit above with TOOL-50-21	1
BRK-KITB6	Bulk Kit Contains: 6 Individual Kits, BRK-KIT	1
BRK-KITB6G	Bulk Kit Contains: 6 Individual Kits, BRK-KIT 1 Dispensing Tool Included	1
TOOL-50-21	1 Dispensing Tool	1

CABLE LUBRICANTS



Polywater® LZ Lubricant is the only pulling lubricant developed for and tested on LSZH/LSHF, CPE, CSPE, and Hypalon® cable jackets using the IEEE 1210 testing standards. It meets the performance needs of power plants, mass transit systems, airports, petrochemicals, high-occupancy buildings, and other construction projects using LSZH power, control, instrumentation, and communication cables. It is UL listed.

Cat. No. / Winter Grade	Pack. Size	Case Qty
LZ-35 / WLZ-35	1-qt bottle	12
LZ-128/WLZ-128	1-gal pail	4
LZ-640 / WLZ-640	5-gal pail	1
LZ-Drum / WLZ-Drum	55-gal drum	1



Type NN™ is a clean, slow-drying, silicone-based cable pulling lubricant. Type NN™ offers superior friction reduction and is ideally suited for use with silicone-lined and prelubed duct. Non-stringy Type NN™ pours and pumps easily, and is suitable for use with most common cable jacket types. Research has shown that Type NN™ out performs all other lubricants in water-filled ducts. Type NN™ is the correct choice for pulling cable in wet environments.

Cat. No. NN / NB	Pack. Size	Case Qty
NN-35 / NB-35	1-qt bottle	12
NN-128 / NB-128	1-gal pail	4
NN-320 / NB-320	2½-gal jug	2
NN-640 / NB-640	5-gal pail	1
NN-Drum / NB-Drum	55-gal drum	1

Type NB™ is Type NN™ with small frictionless rollers added. Choose Type NN™ for pulling through water-filled conduits.

American Polywater Electrical Products

CABLE LUBRICANTS



Polywater® J Lubricant is a high performance, clean, slow-drying, water-based gel lubricant. It is recommended for installations of heavy copper or multi-paired cables. Ideal for pumping or hand application. It is UL Listed.

Cat. No. / Winter Grade	Pack. Size	Case Qty
J-35 / WJ-35	1-qt bottle	12
J-55 / WJ-55	½-gal bag	6
J-128 / WJ-128	1-gal pail	4
J-640 / WJ-640	5-gal pail	1
J-Drum / WJ-Drum	55-gal drum	1



Polywater® CLR Lubricant is an all-purpose lubricant for electrical and datacom applications. Clean and easy to use. Compatible with most common types of cable jacket materials. It is UL listed.

Cat. No.	Pack. Size	Case Qty
CLR-35	1-qt bottle	12
CLR-128	1-gal pail	4
CLR-640	5-gal pail	1



Dyna-Blue® Lubricant is a thick gel for easy handling during hand application. It is UL listed and broadly compatible with cables.

Cat. No.	Pack. Size	Case Qty
D-35	1-qt bottle	12
D-128	1-gal pail	4
D-640	5-gal pail	1
D-Drum	55-gal drum	1

CABLE REMOVAL



CableFree® Loosener helps loosen old stuck cables due to rust, mud, dirt, and old wax based residue. Used during upgrades and rebuilds of cabling systems.

Cat. No.	Pack. Size	Case Qty
CF-35	1-qt bottle	12
CF-128	1-gal jug	4
CF-640	5-gal pail	1

TENSION CALCULATION SOFTWARE



Tension Calculation Software Pull-Planner™ 3000 for Windows™ is PC software that calculates pulling tension, direction of pull and sidewall pressure. Email capabilities available.

Cat. No.	Pack. Size	Case Qty
PP-3000	1 disk	1

American

Polywater®
Corporation

ADHESIVES | CLEANERS | LUBRICANTS | SEALANTS

WWW.POLYWATER.COM

American Polywater Electrical Products

GENERAL PURPOSE & MEDIUM VOLTAGE CLEANERS



Type HP™ Multipurpose Cleaner/Degreaser is a specifically formulated solvent for multi-purpose industrial and maintenance cleaning. It replaces ozone-depleting CFC's, trichloroethane and other carcinogenic chlorinated solvents. HP™ effectively cleans industrial grimes, greases, lubrication fluids, silicone, tars, adhesives, and fluxes.

Cat. No.	Pack. Size	Case Qty
HP-P158ID	Tandem wipe-wet/dry	144
HP-1	Wipe-large	144
HP-D72	Dispenser with 72 10"x12" premoistened wipes	6
HPY-12	16-oz. aerosol can	12
HP-35LF	1-qt flip top bottle	12
HP-128	1-gallon can	4
HP-640	5-gallon pail	1
HP-P63	Kit Contains: Cable Prep Kit, 6 tandem wet/dry wipes, 3 strips sanding cloth, 1 instruction sheet	12



Type RP™ Cleaner effectively cleans semi-conducting cable shield, corrosion inhibiting compound, silicone greases, filling gels, transformer oils and many other contaminants found in electrical construction and maintenance. Type RP™ evaporates quickly and does not leave a residue.

Cat. No.	Pack. Size	Case Qty
RP-1	Saturated 5" x 8" wipe in sealed pouch	96
RP-P63	Kit Contains: 6 RP-1, 3 strips of sanding cloth, instruction sheet	12
RP-1L	Saturated 8" x 12" wipe in sealed pouch	144



Type FD™ is a fast drying, less expensive solvent/cleaner available in bulk and aerosol.

Cat. No.	Pack. Size	Case Qty
FD-9	16 fluid oz. aerosol can (475 ml). Net wt. 9 oz.	12
FD-35LF	1-quart bottle with flip top	12
FD-128	1-gallon can	4
FD-640	5-gallon pail	1



Grime-Away™ Wipes are heavy-duty towelettes premoistened with a multipurpose cleaning solution. Grime-Away™ moisturizes and softens hands while cleaning tools, equipment, and work surfaces. Grime-Away™ towels feature a textured side to quickly remove petroleum and silicone greases, dirt, c-cement, adhesives, paint, caulk, lubricants, tar, and other grime. Tested and approved for rubber goods use by Salisbury by Honeywell.

Cat. No.	Pack. Size	Case Qty
HTC-D72	Dispenser with 72 10" x 12" premoistened wipes	6
HTC-1	Saturated 8" x 12" wipe	144



Polywater® Solar Panel Wash is specially formulated for spot-free cleaning of all types of solar panels without oxidizing or abrading aluminum rails and mounting apparatus. Does not require deionized or purified water rinse.

Cat. No.	Pack. Size	Case Qty
SPW-35LF	1-quart bottle with flip top (.95 liters)	12
SPW-35HS	1-quart bottle with hose sprayer attachment (.95 liters)	12
SPW-128	1-gallon jug (3.8 liters)	4
SPW-640	5-gallon pail (18.9 liters)	1

American Polywater Electrical Products

AEROSOL CLEANERS



Type P7™ Multipurpose Oil is a multi-functional lubricant with numerous electrical and industrial uses. P7™ cleans grime, loosens rust, and penetrates frozen parts. It also acts as a moisture displacer and rust inhibitor.

Type CG™ Cold Galvanize is an industrial aerosol coating for metal protection and repair. Powerful CG™ forms a 95% pure zinc coating that prevents rust and inhibits corrosion through sacrificial galvanic action.

Type KC™ Electrical Cable and Equipment Cleaner is a fast evaporating, non-flammable electrical contact cleaner. It is non-conductive and compatible with most plastics. Has no flashpoint.

Type FD™ Electrical Contact Cleaner is a fast drying, multi-purpose industrial and maintenance cleaner. It replaces ozone-depleting CFC's, trichloroethane, HCFC's, perchloroethylene and other carcinogenic chlorinated solvents.

Cat. No.	Pack. Size	Case Qty
P7-12	16 fluid oz. aerosol can (475 ml). Net wt 12 oz.	12
CG-13	16 fluid oz. aerosol can (475 ml). Net wt 13 oz.	12
KC-16	16 fluid oz. aerosol can (475 ml). Net wt 14 oz.	12
HPY-12	16 fluid oz. aerosol can (475 ml). Net wt 14 oz.	12
FD-9	16 fluid oz. aerosol can (475 ml). Net wt 9 oz.	12

SAFETY CLEANER TREATMENT FOR INSULATED RUBBER GOODS & LIVE LINE TOOLS



The S-1 Hot Stick Wipe cleans hotstick and treats with a water repellent as part of daily stick maintenance. Meets OSHA regulation 29 CFR part 1910.



BOOM™ Prewash Wipes are cleaner-saturated towels that clean grease, tar, creosote, salt spray, hydraulic fluid, pine pitch, and road debris off fiberglass boom arms.



Fiberglass Wax & Buff Kit is a permanent water repellent wax and drying towelette for all types of fiberglass tools and boom arms. Wax also available in pint cans. Use this when fiberglass loses its luster.



Polywater® Rubber Goods Cleaner is a specially formulated water-based cleaner for removing grease, dirt, carbon, creosote, and other grimes from insulating blankets, lineman's gloves, rubber sleeves, grounds, jumpers, and line-hose. Rubber Goods Cleaner is safe for use on all natural and synthetic rubbers. Unlike other water-based rubber cleaners, Rubber Goods Cleaner contains no hazardous ingredients and is pH neutral, making it safe for use on skin. Rubber Goods Cleaner is also completely biodegradable and safe for the environment. Tested and approved for rubber goods use by Salisbury by Honeywell.

Cat. No.	Pack. Size	Case Qty
S-1	Saturated towelette	144

Cat. No.	Pack. Size	Case Qty
B-1	24" x 24" saturated towel	24
BWC-128	1-gal concentrate	4
B-D72	Dispenser with 72 10"x12" premoistened wipes	6

Cat. No.	2.1875 in	Case Qty
W-1	Combo pack - wax and buff kit	72
W-16	16 oz. can	12

Cat. No.	Pack. Size	Case Qty
RBG-D72	Dispenser with 72 10"x12" premoistened wipes	6
RBG-35LR	1-qt bottle with sprayer	12
RBG-128	1-gallon bottle	4
RBG-640	5-gallon pail	1

American Polywater Corporation

phone: 1-800-328-9384
1-651-430-2270
fax: 1-651-430-3634

email: support@polywater.com

11222 60th Street North, Stillwater, MN 55082, U.S.A.

ADHESIVES | CLEANERS | LUBRICANTS | SEALANTS

WWW.POLYWATER.COM

Important Notice: The statements here are made in good faith based on tests and observations we believe to be reliable. However, the completeness and accuracy of the information is not guaranteed. Before using, the end-user should conduct whatever evaluations are necessary to determine that the product is suitable for the intended use.

American Polywater expressly disclaims any implied warranties and conditions of merchantability and fitness for a particular purpose. American Polywater's only obligation shall be to replace such quantity of the product proven to be defective. Except for the replacement remedy, American Polywater shall not be liable for any loss, injury, or direct, indirect, or consequential damages resulting from product's use, regardless of the legal theory asserted.