

according to Regulation (EC) No. 1907/2006 (REACH)

## Polywater® F lubricant

Version number: 10.0 Revision: 2020-06-15 Replaces version of: 2019-03-26 (9)

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name Polywater® F lubricant

Registration number (REACH) not relevant (mixture)

Alternative number(s) article number F-XXX

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Professional use Industrial use

### 1.3 Details of the supplier of the safety data sheet

Polywater Europe BV Zuidhaven 9-11 Unit B2 4761 CR Zevenbergen The Netherlands

Telephone: +31 (0)10 2330578 e-mail: sds@polywater.com Website: www.polywater.com

e-mail (competent person) sds@polywater.com

#### 1.4 Emergency telephone number

Emergency information service +31 (0)10 2330578

This number is only available during the following office hours: Mon-

Fri 09:00 - 17:00

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

This mixture does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

Code	Supplemental hazard information
EUH210	safety data sheet available on request

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

signal wordpictogramsNot required.Not required.

- supplemental hazard information

EUH210 Safety data sheet available on request.

#### 2.3 Other hazards

Special danger of slipping by leaking/spilling product.

#### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

United Kingdom: en Page: 1 / 14



according to Regulation (EC) No. 1907/2006 (REACH)

## Polywater® F lubricant

Version number: 10.0 Revision: 2020-06-15 Replaces version of: 2019-03-26 (9)

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not relevant (mixture)

#### 3.2 Mixtures

The product does not contain any (other) ingredients which are classified according to present knowledge of the supplier and contribute to the classification of the product and hence require reporting in this section.

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Picto- grams	Notes	Specific Conc. Limits	M-Factors
Isopropyl alco- hol	CAS No 67-63-0 EC No 200-661-7 Index No 603-117-00- 0 REACH Reg. No 01- 2119457558 -25-xxxx	1.275	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319 STOT SE 3 / H336		GHS- HC		

Notes

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)

#### Remarks

For full text of H-phrases: see SECTION 16. All the percentages given are percentages by weight unless stated otherwise.

#### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

#### General notes

Do not leave affected person unattended. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following inhalation

Provide fresh air.

### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing.

### Following ingestion

Rinse mouth with water (only if the person is conscious).

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

#### 4.3 Indication of any immediate medical attention and special treatment needed

None.

United Kingdom: en Page: 2 / 14



according to Regulation (EC) No. 1907/2006 (REACH)

## Polywater® F lubricant

Version number: 10.0 Revision: 2020-06-15 Replaces version of: 2019-03-26 (9)

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media

Non-combustible. Co-ordinate firefighting measures to the fire surroundings.

#### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

During fire hazardous fumes/smoke could be produced. High temperature steam. Carbon monoxide (CO). Carbon dioxide (CO2).

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance. Exposure to elevated temperatures can cause water in the product to boil and generate gas. This can cause pressure build-up and/or rupturing of closed containers. Keep containers cool with water spray.

Special protective equipment for firefighters

Self-contained breathing apparatus (EN 133). Standard protective clothing for firefighters.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Spilled material creates extremely slippery conditions. Remove persons to safety.

For emergency responders

Use personal protective equipment as required.

#### 6.2 Environmental precautions

Advice on how to clean up a spill: use of adsorbent materials.

#### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. To clean the floor and all objects contaminated by this material, use plenty of water. Oxidizing agents, such as household bleach, can be used to eliminate the slippery character.

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece).

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal.

### 6.4 Reference to other sections

First aid measures: see section 4. Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

United Kingdom: en Page: 3 / 14



according to Regulation (EC) No. 1907/2006 (REACH)

## Polywater® F lubricant

Version number: 10.0 Revision: 2020-06-15 Replaces version of: 2019-03-26 (9)

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Control of effects

Protect against external exposure, such as

High temperatures. Humidity. UV-radiation/sunlight.

Consideration of other advice

Store in a well-ventilated place. Keep container tightly closed.

### 7.3 Specific end use(s)

Lubricant for cable installation.

See technical data sheet on this product for further information.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **National limit values**

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntry	Name of agent	CAS No	Identi- fier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Nota- tion	Source
GB	propane-1,2-diol	57-55-6	WEL		10			particle	EH40/2005
GB	propane-1,2-diol	57-55-6	WEL	150	474			vp	EH40/2005
GB	propan-2-ol	67-63-0	WEL	400	999	500	1,250		EH40/2005

Notation

particle as airborne particles

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless

otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted

average (unless otherwise specified)

vp as vapours and particulates

#### Relevant DNELs/DMELs/PNECs and other threshold levels

Relevant DNELs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Isopropyl alcohol	67-63-0	DNEL	500 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Isopropyl alcohol	67-63-0	DNEL	888 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Isopropyl alcohol	67-63-0	DNEL	89 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - systemic effects
Isopropyl alcohol	67-63-0	DNEL	319 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
Isopropyl alcohol	67-63-0	DNEL	26 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects

United Kingdom: en Page: 4 / 14



according to Regulation (EC) No. 1907/2006 (REACH)

## Polywater® F lubricant

Version number: 10.0 Revision: 2020-06-15 Replaces version of: 2019-03-26 (9)

Relevant PNECs of components of the mixture

Name of substance	CAS No	End-	Threshold	Organism	Environmental	Exposure time
Name of Substance	CAS NO	point	level	Organism	compartment	Exposure time
Isopropyl alcohol	67-63-0	PNEC	140.9 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	intermittent re- lease
Isopropyl alcohol	67-63-0	PNEC	140.9 <sup>mg</sup> / <sub>I</sub>	aquatic organisms	marine water	intermittent re- lease
Isopropyl alcohol	67-63-0	PNEC	140.9 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	water	short-term (single instance)
Isopropyl alcohol	67-63-0	PNEC	2,251 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	intermittent re- lease
Isopropyl alcohol	67-63-0	PNEC	552 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sedi- ment	intermittent re- lease
Isopropyl alcohol	67-63-0	PNEC	552 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	intermittent re- lease
Isopropyl alcohol	67-63-0	PNEC	28 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	intermittent re- lease
Isopropyl alcohol	67-63-0	PNEC	160 <sup>mg</sup> / <sub>kg</sub>	(top) predators	water	intermittent re- lease
Isopropyl alcohol	67-63-0	PNEC	140.9 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	water	intermittent re- lease
Isopropyl alcohol	67-63-0	PNEC	140.9 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)
Isopropyl alcohol	67-63-0	PNEC	140.9 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)
Isopropyl alcohol	67-63-0	PNEC	2,251 <sup>mg</sup> / <sub>I</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Isopropyl alcohol	67-63-0	PNEC	552 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sedi- ment	short-term (single instance)
Isopropyl alcohol	67-63-0	PNEC	552 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)
Isopropyl alcohol	67-63-0	PNEC	28 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)

## 8.2 Exposure controls

Individual protection measures (personal protective equipment)

Personal protective equipment (PPE) for normal use.

Environmental exposure controls

Use appropriate container to avoid environmental contamination.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties Appearance

United Kingdom: en Page: 5 / 14



according to Regulation (EC) No. 1907/2006 (REACH)

## Polywater® F lubricant

Version number: 10.0 Revision: 2020-06-15 Replaces version of: 2019-03-26 (9)

Physical state	liquid
Colour	transparent - colorless to orange tint
Odour	characteristic
Other safety parameters	
pH (value)	8-9.5
Melting point/freezing point	0 °C
Initial boiling point and boiling range	100 °C
Flash point	none
Evaporation rate	no data available
Explosive limits	not applicable
Vapour pressure	18 mmHg at 22 °C
Density	not determined
Vapour density	0.9 - 1.1 (air = 1)
Relative density	1.01 (water = 1)
Solubility(ies)	
- water solubility	miscible in any proportion
Partition coefficient	
- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	not applicable
Viscosity	not determined
Explosive properties	none
Oxidising properties	none

### 9.2 Other information

Volatiles (weight%) >90%. Volatile Organic Compound (VOC) 10 g/L.

United Kingdom: en Page: 6 / 14



according to Regulation (EC) No. 1907/2006 (REACH)

## Polywater® F lubricant

Version number: 10.0 Revision: 2020-06-15 Replaces version of: 2019-03-26 (9)

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

#### 10.5 Incompatible materials

There is no additional information.

#### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

#### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

## Classification according to GHS (1272/2008/EC, CLP)

This mixture does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

#### Acute toxicity

Shall not be classified as acutely toxic.

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

United Kingdom: en Page: 7 / 14



according to Regulation (EC) No. 1907/2006 (REACH)

## Polywater® F lubricant

Version number: 10.0 Revision: 2020-06-15 Replaces version of: 2019-03-26 (9)

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Isopropyl alcohol	67-63-0	LC0	5,000 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	24 h
Isopropyl alcohol	67-63-0	LC50	10,000 <sup>mg</sup> / <sub>l</sub>	fish	96 h
Isopropyl alcohol	67-63-0	LC50	9,640 <sup>mg</sup> / <sub>l</sub>	fish	96 h
Isopropyl alcohol	67-63-0	LC50	>10,000 <sup>mg</sup> / <sub>I</sub>	aquatic invertebrates	24 h

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Isopropyl alcohol	67-63-0	LC50	>10,000 <sup>mg</sup> / <sub>I</sub>	aquatic invertebrates	24 h

#### 12.2 Persistence and degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

## 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

#### 12.6 Other adverse effects

Data are not available.

Endocrine disrupting potential

None of the ingredients are listed.

#### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

United Kingdom: en Page: 8 / 14



according to Regulation (EC) No. 1907/2006 (REACH)

## Polywater® F lubricant

Version number: 10.0 Revision: 2020-06-15 Replaces version of: 2019-03-26 (9)

### **SECTION 14: Transport information**

not subject to transport regulations **UN number** 

14.2 **UN proper shipping name** not relevant

14.3 Transport hazard class(es) none

not assigned to a packing group 14.4 Packing group

14.5 **Environmental hazards** non-environmentally hazardous acc. to the dangerous goods regu-

lations

#### 14.6 Special precautions for user

There is no additional information.

#### Transport in bulk according to Annex II of MARPOL and the IBC Code

No data available.

#### Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

Not subject to ADR, RID and ADN.

#### International Maritime Dangerous Goods Code (IMDG)

Not subject to IMDG.

### International Civil Aviation Organization (ICAO-IATA/DGR)

Not subject to ICAO-IATA.

#### **SECTION 15: Regulatory information**

## Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

#### Restrictions according to REACH, Annex XVII

Name	Name acc. to inventory	Restriction	No
Propan-2-ol	this product meets the criteria for classification in accordance with Regulation No 1272/2008/	R3	3
Propan-2-ol	flammable / pyrophoric	R40	40

#### Legend

- Shall not be used in:
- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtravs
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
- Articles not complying with paragraph 1 shall not be placed on the market.
- 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they: - can be used as fuel in decorative oil lamps for supply to the general public, and
- present an aspiration hazard and are labelled with R65 or H304,
- 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
- 5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met: (a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil - or even sucking the wick of lamps - may lead to life-threatening lung damage';
- (b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage';
- (c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.
- 6. No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public.

7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1

United Kingdom: en Page: 9 / 14



according to Regulation (EC) No. 1907/2006 (REACH)

## Polywater® F lubricant

Version number: 10.0 Revision: 2020-06-15

Replaces version of: 2019-03-26 (9)

#### Legend

December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission.

R40

- 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:
- metallic glitter intended mainly for decoration,
- artificial snow and frost,
- 'whoopee' cushions,
- silly string aerosols,
- imitation excrement,
- horns for parties,
- decorative flakes and foams,
- artificial cobwebs
- stink bombs.
- 2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:
- 'For professional users only'.
- 3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
- 4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated

### List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

None of the ingredients are listed.

#### **Seveso Directive**

2012/18/EU (Seveso III)						
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes			
	not assigned					

# Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

None of the ingredients are listed.

# Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

None of the ingredients are listed.

### Regulation 98/2013/EU on the marketing and use of explosives precursors

None of the ingredients are listed.

#### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

#### **SECTION 16: Other information**

#### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)
1.2	Relevant identified uses: Professional use	Relevant identified uses: Professional use Industrial use
3.2		Mixtures: change in the listing (table)
3.2		Remarks: For full text of H-phrases: see SECTION 16. All the percentages given are percentages by weight unless stated otherwise.

United Kingdom: en Page: 10 / 14



according to Regulation (EC) No. 1907/2006 (REACH)

## Polywater® F lubricant

Version number: 10.0 Revision: 2020-06-15 Replaces version of: 2019-03-26 (9)

Section	Former entry (text/value)	Actual entry (text/value)
4.1	General notes:  Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.	General notes:  Do not leave affected person unattended. In all cases of doubt, or when symptoms persist, seek medical advice.
5.1	Suitable extinguishing media: Alcohol resistant foam; Dry extinguishing powder; Carbon dioxide (CO2)	Suitable extinguishing media: Non-combustible. Co-ordinate firefighting measures to the fire surroundings.
5.1	Unsuitable extinguishing media: Water jet.	
5.2	Hazardous combustion products: During fire hazardous fumes/smoke could be produced. Carbon monoxide (CO). Carbon dioxide (CO2).	Hazardous combustion products: During fire hazardous fumes/smoke could be produced. High temperature steam. Carbon monoxide (CO). Carbon dioxide (CO2).
5.3	Advice for firefighters: In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.	Advice for firefighters: In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance. Exposure to elevated temperatures can cause water in the product to boil and generate gas. This can cause pressure build-up and/or rupturing of closed containers. Keep containers cool with water spray.
6.1	For non-emergency personnel: Remove persons to safety. Ventilate affected area.	For non-emergency personnel: Spilled material creates extremely slippery conditions. Remove persons to safety.
6.1	For emergency responders: Wear breathing apparatus if exposed to vapours/dust/ spray/gases. Use personal protective equipment as re- quired.	For emergency responders: Use personal protective equipment as required.
6.2	Environmental precautions: Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.	Environmental precautions: Advice on how to clean up a spill: use of adsorbent materials.
6.3	Advices on how to contain a spill: Covering of drains.	Advice on how to contain a spill: Covering of drains. To clean the floor and all objects contaminated by this material, use plenty of water. Oxidizing agents, such as household bleach, can be used to eliminate the slippery character.
6.3	Other information relating to spills and releases: Place in appropriate containers for disposal. Ventilate affected area.	Other information relating to spills and releases: Place in appropriate containers for disposal.
6.4	Reference to other sections: Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.	Reference to other sections: First aid measures: see section 4. Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.
7.1	Recommendations	
7.1	- measures to prevent fire as well as aerosol and dust generation:  Use local and general ventilation. Use only in well-ventilated areas.	
7.2	Managing of associated risks	
7.2	- incompatible substances or mixtures: Keep away from alkalis, oxidising substances, acids.	

United Kingdom: en Page: 11 / 14



according to Regulation (EC) No. 1907/2006 (REACH)

## Polywater® F lubricant

Version number: 10.0 Revision: 2020-06-15 Replaces version of: 2019-03-26 (9)

Section	Former entry (text/value)	Actual entry (text/value)
7.2	Protect against external exposure, such as: High temperatures. Frost. UV-radiation/sunlight.	Protect against external exposure, such as: High temperatures. Humidity. UV-radiation/sunlight.
7.3	Specific end use(s): There is no additional information.	Specific end use(s): Lubricant for cable installation. See technical data sheet on this product for further information.
8.1		Relevant DNELs of components of the mixture: change in the listing (table)
8.1		Relevant PNECs of components of the mixture: change in the listing (table)
8.2	Appropriate engineering controls: General ventilation.	
8.2	Individual protection measures (personal protective equipment)	Individual protection measures (personal protective equipment):  Personal protective equipment (PPE) for normal use.
8.2	Eye/face protection: eye protection must be worn	
	Use safety goggle with side protection (EN 166).	
8.2	Skin protection: Protective clothing (EN 340 & EN ISO 13688).	
8.2	Hand protection: safety gloves must be worn	
	Wear suitable gloves. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Chemical protection gloves are suitable, which are tested according to EN 374. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.	
8.2	Breakthrough times of the glove material: >480 minutes (permeation: level 6).	
8.2	- other protection measures:  Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.	
8.2	Respiratory protection: In case of inadequate ventilation wear respiratory protection.	
8.2	Environmental exposure controls: Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.	Environmental exposure controls: Use appropriate container to avoid environmental contamination.
9.1	Flash point: not determined	Flash point: none
9.1	Flammability (solid, gas): not relevant, (fluid)	
9.1	Vapour density: this information is not available	Vapour density: 0.9 - 1.1 (air = 1)

United Kingdom: en Page: 12 / 14



according to Regulation (EC) No. 1907/2006 (REACH)

## Polywater® F lubricant

Version number: 10.0 Revision: 2020-06-15 Replaces version of: 2019-03-26 (9)

Section	Former entry (text/value)	Actual entry (text/value)
9.1	Relative density: 0.9 - 1.1 (air = 1) 1.01 (water = 1)	Relative density: 1.01 (water = 1)
9.2	Other information: There is no additional information.	Other information: Volatiles (weight%) >90%. Volatile Organic Compound (VOC) 10 g/L.
10.5	Incompatible materials: Oxidisers.	Incompatible materials: There is no additional information.
12.1		Aquatic toxicity (acute) of components of the mixture: change in the listing (table)
12.1		Aquatic toxicity (chronic) of components of the mixture: change in the listing (table)
13.1	Sewage disposal-relevant information: Do not empty into drains. Avoid release to the environment.	Sewage disposal-relevant information: Do not empty into drains.
15.1		Restrictions according to REACH, Annex XVII: change in the listing (table)
16		Abbreviations and acronyms: change in the listing (table)

## Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)	
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DMEL	Derived Minimal Effect Level	
DNEL	Derived No-Effect Level	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)	
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
Eye Dam.	Seriously damaging to the eye	
Eye Irrit.	Irritant to the eye	
Flam. Liq.	Flammable liquid	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
IMDG	International Maritime Dangerous Goods Code	

United Kingdom: en Page: 13 / 14



according to Regulation (EC) No. 1907/2006 (REACH)

## Polywater® F lubricant

Version number: 10.0 Revision: 2020-06-15 Replaces version of: 2019-03-26 (9)

Abbr.	Descriptions of used abbreviations
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

#### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom: en Page: 14 / 14