






## AirRepair AR

### Flyleaf

Date of compilation: 2020-12-15

#### Bill of materials

Name of substance	Identifier	Number of pieces	Classification acc. to GHS	Pictograms	Page
AirRepair AR Part A		1	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1 / H317 Aquatic Chronic 2 / H411		2 – 17
AirRepair AR Part B		1	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1 / H317 Aquatic Chronic 3 / H412		18 – 34
PowerPatch Stick		1	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1 / H317 Aquatic Chronic 3 / H412		35 – 48
Type RP Wipe		1	Flam. Sol. 1 / H228 Skin Irrit. 2 / H315 STOT SE 3 / H336 Aquatic Chronic 2 / H411		49 – 67
AirRepair Primer PW-1		1	Flam. Liq. 2 / H225 Skin Irrit. 2 / H315 Skin Sens. 1 / H317 STOT SE 3 / H336 Aquatic Chronic 2 / H411		68 – 85

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## AirRepair AR Part A

Version number: 1.0

Date of compilation: 2020-06-30

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name **AirRepair AR Part A**  
Registration number (REACH) not relevant (mixture)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Professional use

#### 1.3 Details of the supplier of the safety data sheet

Polywater Europe BV  
Zuidhaven 9-11 Unit B2  
4761 CR Zevenbergen  
The Netherlands

Telephone: +31 (0)10 2330578  
e-mail: sds@polywater.com  
Website: www.polywater.com

e-mail (competent person) sds@polywater.com

#### 1.4 Emergency telephone number

Emergency information service +31 (0)10 2330578  
This number is only available during the following office hours: Mon-Fri 09:00 - 17:00

Poison centre		
Country	Name	Telephone
United Kingdom	NHS (general public)	non-emergency: 111 or a doctor; emergency: 999

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and category	Hazard statement
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.4S	skin sensitisation	1	Skin Sens. 1	H317
4.1C	hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

Code	Supplemental hazard information
EUH205	contains epoxy constituents. May produce an allergic reaction

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- signal word Warning

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## AirRepair AR Part A

Version number: 1.0

Date of compilation: 2020-06-30

- pictograms

GHS07, GHS09



- hazard statements

H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H411 Toxic to aquatic life with long lasting effects.

- precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...  
P302+P352 IF ON SKIN: Wash with plenty of water/...  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

- supplemental hazard information

EUH205 Contains epoxy constituents. May produce an allergic reaction.

- hazardous ingredients for labelling

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane

### 2.3 Other hazards

Of no significance.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not relevant (mixture)

### 3.2 Mixtures

The product does not contain any (other) ingredients which are classified according to present knowledge of the supplier and contribute to the classification of the product and hence require reporting in this section.

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes	Specific Conc. Limits	M-Factors
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	CAS No 25068-38-6  EC No 500-033-5  Index No 603-074-00-8  REACH Reg. No 01-2119456619-26-xxxx	25 - < 50	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1 / H317 Aquatic Chronic 2 / H411 EUH205		GHS-HC	Skin Irrit. 2; H315: C ≥ 5 % Eye Irrit. 2; H319: C ≥ 5 %	

Notes

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)

### Remarks

For full text of H-phrases: see SECTION 16. All the percentages given are percentages by weight unless stated otherwise.

## AirRepair AR Part A

Version number: 1.0

Date of compilation: 2020-06-30

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

##### General notes

Do not leave affected person unattended. Remove victim out of the danger area. In case of unconsciousness place person in the recovery position. Never give anything by mouth. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice.

##### Following inhalation

Provide fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician.

##### Following skin contact

Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

##### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. If eye irritation persists: Get medical advice/attention.

##### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Call a POISON CENTER or doctor if you feel unwell.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

#### 4.3 Indication of any immediate medical attention and special treatment needed

For specialist advice physicians should contact the poison centre.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing media

Water; Foam; Dry extinguishing powder; ABC-powder

##### Unsuitable extinguishing media

Water jet.

#### 5.2 Special hazards arising from the substance or mixture

##### Hazardous combustion products

During fire hazardous fumes/smoke could be produced.

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

##### Special protective equipment for firefighters

Self-contained breathing apparatus (EN 133). Standard protective clothing for firefighters.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

##### For non-emergency personnel

Remove persons to safety. Ventilate affected area.

##### For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Use personal protective equipment as required.

## AirRepair AR Part A

Version number: 1.0

Date of compilation: 2020-06-30

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Recommendations

- measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas. Ground/bond container and receiving equipment.

- specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- explosive atmospheres

Removal of dust deposits.

- flammability hazards

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge.

- incompatible substances or mixtures

Keep away from alkalis, oxidising substances, acids.

Control of effects

Protect against external exposure, such as

High temperatures. UV-radiation/sunlight.

Consideration of other advice

Store in a well-ventilated place. Keep container tightly closed.

- packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

### 7.3 Specific end use(s)

There is no additional information.

## AirRepair AR Part A

Version number: 1.0

Date of compilation: 2020-06-30

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### National limit values

Occupational exposure limit values (Workplace Exposure Limits)									
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Notation	Source
GB	calcium carbonate	1317-65-3	WEL		10			i	EH40/2005
GB	calcium carbonate	1317-65-3	WEL		4			r	EH40/2005
GB	silica, amorphous	7631-86-9	WEL		6			i	EH40/2005
GB	silica, amorphous	7631-86-9	WEL		2.4			r	EH40/2005

##### Notation

i	inhalable fraction
r	respirable fraction
STEL	short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
TWA	time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

##### Relevant DNELs/DMELs/PNECs and other threshold levels

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	DNEL	8.33 mg/kg	human, dermal	worker (industry)	acute - systemic effects
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	DNEL	12.25 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	DNEL	8.33 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	DNEL	12.25 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	DNEL	0.75 mg/kg	human, oral	consumer (private households)	acute - systemic effects
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	DNEL	0.75 mg/kg	human, oral	consumer (private households)	chronic - systemic effects

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## AirRepair AR Part A

Version number: 1.0

Date of compilation: 2020-06-30

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	DNEL	3.571 mg/kg	human, dermal	consumer (private households)	acute - systemic effects
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	DNEL	3.571 mg/kg	human, dermal	consumer (private households)	chronic - systemic effects

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	PNEC	0.006 mg/l	aquatic organisms	freshwater	short-term (single instance)
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	PNEC	0.0006 mg/l	aquatic organisms	marine water	short-term (single instance)
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	PNEC	0.996 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	PNEC	0.0996 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	PNEC	11 mg/kg	aquatic organisms	water	short-term (single instance)
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	PNEC	0.196 mg/kg	terrestrial organisms	soil	short-term (single instance)
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	PNEC	0.018 mg/l	aquatic organisms	water	intermittent release

## AirRepair AR Part A

Version number: 1.0

Date of compilation: 2020-06-30

### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection (EN 166).

Skin protection

Protective clothing (EN 340 & EN ISO 13688).

- hand protection



Chemical protection gloves are suitable, which are tested according to EN 374. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- breakthrough times of the glove material

Use gloves with a minimum breakthrough times of the glove material: >480 minutes (permeation: level 6).

- other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state	paste
Colour	various
Odour	characteristic

#### Other safety parameters

pH (value)	not applicable
Melting point/freezing point	not determined
Initial boiling point and boiling range	not determined
Flash point	>200 °C
Evaporation rate	not determined
Flammability (solid, gas)	this material is combustible, but will not ignite readily
Explosion limits of dust clouds	not determined



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## AirRepair AR Part A

Version number: 1.0

Date of compilation: 2020-06-30

Vapour pressure	<0.001 Pa at 20 °C
Density	not determined
Vapour density	this information is not available
Relative density	1.25 at 25 °C (water = 1)
Solubility(ies)	not determined
Partition coefficient	
- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	
Viscosity	not determined
Explosive properties	none
Oxidising properties	none

### 9.2 Other information

Volatiles (weight %) 0%.

Volatile Organic Compound (VOC) 0 g/L.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

### 10.2 Chemical stability

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

#### Hints to prevent fire or explosion

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

### 10.5 Incompatible materials

Oxidisers.

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## AirRepair AR Part A

Version number: 1.0

Date of compilation: 2020-06-30

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification according to GHS (1272/2008/EC, CLP)

#### Acute toxicity

Shall not be classified as acutely toxic.

#### - acute toxicity of components of the mixture

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	oral	LD50	>2,000 mg/kg	rat
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	dermal	LD50	>2,000 mg/kg	rat

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Respiratory or skin sensitisation

May cause an allergic skin reaction.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## AirRepair AR Part A

Version number: 1.0

Date of compilation: 2020-06-30

### SECTION 12: Ecological information

#### 12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	LC50	2.7 mg/l	fish	48 h
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	EC50	2.8 mg/l	aquatic invertebrates	48 h
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	ErC50	>11 mg/l	algae	72 h
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	NOEC	2.4 mg/l	algae	72 h

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	LC50	4.4 mg/l	fish	24 h
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	EC50	4.6 mg/l	aquatic invertebrates	24 h
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	NOEC	0.3 mg/l	aquatic invertebrates	21 d
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	LOEC	1 mg/l	aquatic invertebrates	21 d
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	growth (EbCx) 10%	100 mg/l	microorganisms	3 h

#### 12.2 Persistence and degradability

Degradability of components of the mixture						
Name of substance	CAS No	Process	Degradation rate	Time	Method	Source
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	oxygen depletion	5 %	28 d		ECHA

## AirRepair AR Part A

Version number: 1.0

Date of compilation: 2020-06-30

### 12.3 Bioaccumulative potential

Bioaccumulative potential of components of the mixture				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6		2.918 (25 °C)	

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

### 12.6 Other adverse effects

Data are not available.

Endocrine disrupting potential

None of the ingredients are listed.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

## SECTION 14: Transport information

<b>14.1 UN number</b>	3077
<b>14.2 UN proper shipping name</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Technical name (Hazardous ingredients)	4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane
<b>14.3 Transport hazard class(es)</b>	
Class	9 (environmentally hazardous)
<b>14.4 Packing group</b>	III (substance presenting low danger)
<b>14.5 Environmental hazards</b>	hazardous to the aquatic environment
Environmentally hazardous substance (aquatic environment)	4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane
<b>14.6 Special precautions for user</b>	
Provisions for dangerous goods (ADR) should be complied within the premises.	
<b>14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code</b>	
No data available.	

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## AirRepair AR Part A

Version number: 1.0

Date of compilation: 2020-06-30

### Information for each of the UN Model Regulations

#### **Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)**

UN number	3077
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Class	9
Classification code	M7
Packing group	III
Danger label(s)	9, fish and tree



Environmental hazards	yes (hazardous to the aquatic environment)
Special provisions (SP)	274, 335, 375, 601
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 kg
Transport category (TC)	3
Tunnel restriction code (TRC)	-
Hazard identification No	90
Emergency Action Code	2Z

#### **International Maritime Dangerous Goods Code (IMDG)**

UN number	3077
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Class	9
Marine pollutant	yes (hazardous to the aquatic environment)
Packing group	III
Danger label(s)	9, fish and tree



Special provisions (SP)	274, 335, 966, 967, 969
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 kg
EmS	F-A, S-F
Stowage category	A

#### **International Civil Aviation Organization (ICAO-IATA/DGR)**

UN number	3077
Proper shipping name	Environmentally hazardous substance, solid, n.o.s.
Class	9
Environmental hazards	yes (hazardous to the aquatic environment)
Packing group	III
Danger label(s)	9, fish and tree

## AirRepair AR Part A

Version number: 1.0

Date of compilation: 2020-06-30



Special provisions (SP)	A97, A158, A179, A197
Excepted quantities (EQ)	E1
Limited quantities (LQ)	30 kg

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### Relevant provisions of the European Union (EU)

##### Restrictions according to REACH, Annex XVII

Name	Name acc. to inventory	Restriction	No
bisphenol-A-epichlorohydrine, epoxyresin (average molecularweight ≤ 700)	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC	R3	3

##### Legend

R3

- Shall not be used in:
  - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ash-trays,
  - tricks and jokes,
  - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
- Articles not complying with paragraph 1 shall not be placed on the market.
- Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
  - can be used as fuel in decorative oil lamps for supply to the general public, and,
  - present an aspiration hazard and are labelled with R65 or H304,
- Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
- Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
  - lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil - or even sucking the wick of lamps - may lead to life-threatening lung damage';
  - grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage';
  - lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.
- No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public.
- Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission.

#### List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

None of the ingredients are listed.

#### Seveso Directive

2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements		Notes
E2	environmental hazards (hazardous to the aquatic environment, cat. 2)	200	500	57)

##### Notation

57) hazardous to the Aquatic Environment in category Chronic 2

#### Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

None of the ingredients are listed.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## AirRepair AR Part A

Version number: 1.0

Date of compilation: 2020-06-30

### Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Organohalogen compounds and substances which may form such compounds in the aquatic environment		A)	

Legend

A) Indicative list of the main pollutants

### Regulation 98/2013/EU on the marketing and use of explosives precursors

None of the ingredients are listed.

### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

## SECTION 16: Other information

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> )
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## AirRepair AR Part A

Version number: 1.0

Date of compilation: 2020-06-30

Abbr.	Descriptions of used abbreviations
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LOEC	Lowest Observed Effect Concentration
log KOW	n-Octanol/water
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
NOEC	No Observed Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## AirRepair AR Part A

Version number: 1.0

Date of compilation: 2020-06-30

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

## AirRepair AR Part B

Version number: 1.0

Date of compilation: 2020-06-30

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name **AirRepair AR Part B**  
Registration number (REACH) not relevant (mixture)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Professional use

#### 1.3 Details of the supplier of the safety data sheet

Polywater Europe BV  
Zuidhaven 9-11 Unit B2  
4761 CR Zevenbergen  
The Netherlands

Telephone: +31 (0)10 2330578  
e-mail: sds@polywater.com  
Website: www.polywater.com

e-mail (competent person) sds@polywater.com

#### 1.4 Emergency telephone number

Emergency information service +31 (0)10 2330578  
This number is only available during the following office hours: Mon-Fri 09:00 - 17:00

Poison centre		
Country	Name	Telephone
United Kingdom	NHS (general public)	non-emergency: 111 or a doctor; emergency: 999

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and category	Hazard statement
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.4S	skin sensitisation	1	Skin Sens. 1	H317
4.1C	hazardous to the aquatic environment - chronic hazard	3	Aquatic Chronic 3	H412

#### Remarks

Based on a Corrositex test, the product should be classified as skin irritant category 2 and eye irritant category 2

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- signal word Warning

## AirRepair AR Part B

Version number: 1.0

Date of compilation: 2020-06-30

- pictograms

GHS07



- hazard statements

H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H412 Harmful to aquatic life with long lasting effects.

- precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P337+P313 If eye irritation persists: Get medical advice/attention.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- hazardous ingredients for labelling

Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine; 3,6-diazaoctanethylenediamin; 3,3'-oxybis(ethyleneoxy)bis(propylamine)

### 2.3 Other hazards

Of no significance.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not relevant (mixture)

### 3.2 Mixtures

The product does not contain any (other) ingredients which are classified according to present knowledge of the supplier and contribute to the classification of the product and hence require reporting in this section.

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes	Specific Conc. Limits	M-Factors
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine	CAS No 68082-29-1  EC No 500-191-5  REACH Reg. No 01- 2119972320 -44-xxxx	5 – < 10	Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Skin Sens. 1A / H317 Aquatic Chronic 2 / H411	  			
1,3-bis[3-(dimethylamino)propyl]urea	CAS No 52338-87-1  EC No 257-861-2  REACH Reg. No 01- 2120781639 -37-xxxx	5 – < 10	Skin Corr. 1C / H314 Eye Dam. 1 / H318				

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## AirRepair AR Part B

Version number: 1.0

Date of compilation: 2020-06-30

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes	Specific Conc. Limits	M-Factors
9,12-OCTA-DECADIENOIC ACID-BASED POLYAM-IDOAMINE	CAS No 68541-13-9  EC No 630-367-8	2.5 - <5	Eye Irrit. 2 / H319				
3,6-diazaoctanethylenediamin	CAS No 112-24-3  EC No 203-950-6  Index No 612-059-00-5	< 1	Acute Tox. 4 / H312 Skin Corr. 1B / H314 Skin Sens. 1 / H317 Aquatic Chronic 3 / H412	 	GHS-HC		
3,3'-oxybis(ethylenoxy)bis(propylamine)	CAS No 4246-51-9  EC No 224-207-2  REACH Reg. No 01-2119963377-26-xxxx	< 1	Skin Corr. 1B / H314 Eye Dam. 1 / H318 Skin Sens. 1 / H317	 			

### Notes

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)

### Remarks

For full text of H-phrases: see SECTION 16. All the percentages given are percentages by weight unless stated otherwise.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. In case of unconsciousness place person in the recovery position. Never give anything by mouth. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following inhalation

Provide fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician.

#### Following skin contact

Wash with plenty of soap and water. Call a POISON CENTER/doctor.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. Call a POISON CENTER/doctor.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Call a POISON CENTER or doctor if you feel unwell.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

### 4.3 Indication of any immediate medical attention and special treatment needed

For specialist advice physicians should contact the poison centre.

## AirRepair AR Part B

Version number: 1.0

Date of compilation: 2020-06-30

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media

Dry extinguishing powder; Carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing media

Water jet.

#### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

During fire hazardous fumes/smoke could be produced.

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters

Self-contained breathing apparatus (EN 133). Standard protective clothing for firefighters.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Ventilate affected area.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Use personal protective equipment as required.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

#### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece).

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## AirRepair AR Part B

Version number: 1.0

Date of compilation: 2020-06-30

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Recommendations

- measures to prevent fire as well as aerosol and dust generation  
Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- flammability hazards  
Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge.

- incompatible substances or mixtures

Keep away from alkalis, oxidising substances, acids.

Control of effects

Protect against external exposure, such as

High temperatures. UV-radiation/sunlight.

Consideration of other advice

Store in a well-ventilated place. Keep container tightly closed.

- packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

#### 7.3 Specific end use(s)

There is no additional information.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### National limit values

Occupational exposure limit values (Workplace Exposure Limits)									
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Notation	Source
GB	calcium carbonate	1317-65-3	WEL		10			i	EH40/2005
GB	calcium carbonate	1317-65-3	WEL		4			r	EH40/2005
GB	silica, amorphous	7631-86-9	WEL		6			i	EH40/2005
GB	silica, amorphous	7631-86-9	WEL		2.4			r	EH40/2005

Notation

i inhalable fraction  
r respirable fraction  
STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)  
TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## AirRepair AR Part B

Version number: 1.0

Date of compilation: 2020-06-30

### Relevant DNELs/DMELs/PNECs and other threshold levels

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethyl-enetetramine	68082-29-1	DNEL	3.9 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethyl-enetetramine	68082-29-1	DNEL	1.1 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethyl-enetetramine	68082-29-1	DNEL	0.97 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - systemic effects
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethyl-enetetramine	68082-29-1	DNEL	0.56 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethyl-enetetramine	68082-29-1	DNEL	0.56 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects
1,3-bis[3-(dimethyl-amino)propyl]urea	52338-87-1	DNEL	5.8 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
1,3-bis[3-(dimethyl-amino)propyl]urea	52338-87-1	DNEL	17.4 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
1,3-bis[3-(dimethyl-amino)propyl]urea	52338-87-1	DNEL	2.33 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
1,3-bis[3-(dimethyl-amino)propyl]urea	52338-87-1	DNEL	4.8 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects
1,3-bis[3-(dimethyl-amino)propyl]urea	52338-87-1	DNEL	0.833 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects
3,3'-oxybis(ethyl-eneoxy)bis(propylamine)	4246-51-9	DNEL	59 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
3,3'-oxybis(ethyl-eneoxy)bis(propylamine)	4246-51-9	DNEL	176 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
3,3'-oxybis(ethyl-eneoxy)bis(propylamine)	4246-51-9	DNEL	1 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
3,3'-oxybis(ethyl-eneoxy)bis(propylamine)	4246-51-9	DNEL	13 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## AirRepair AR Part B

Version number: 1.0

Date of compilation: 2020-06-30

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
3,3'-oxybis(ethyloxy)bis(propylamine)	4246-51-9	DNEL	8.3 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
3,3'-oxybis(ethyloxy)bis(propylamine)	4246-51-9	DNEL	17 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - systemic effects
3,3'-oxybis(ethyloxy)bis(propylamine)	4246-51-9	DNEL	52 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	acute - systemic effects
3,3'-oxybis(ethyloxy)bis(propylamine)	4246-51-9	DNEL	0.5 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - local effects
3,3'-oxybis(ethyloxy)bis(propylamine)	4246-51-9	DNEL	6.5 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	acute - local effects
3,3'-oxybis(ethyloxy)bis(propylamine)	4246-51-9	DNEL	5 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
3,3'-oxybis(ethyloxy)bis(propylamine)	4246-51-9	DNEL	5 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine	68082-29-1	PNEC	0.004 mg/l	aquatic organisms	freshwater	short-term (single instance)
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine	68082-29-1	PNEC	0 mg/l	aquatic organisms	marine water	short-term (single instance)
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine	68082-29-1	PNEC	3.84 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine	68082-29-1	PNEC	434 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine	68082-29-1	PNEC	43.4 mg/kg	aquatic organisms	marine sediment	short-term (single instance)



## AirRepair AR Part B

Version number: 1.0

Date of compilation: 2020-06-30

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethyl-enetetramine	68082-29-1	PNEC	86.78 mg/kg	terrestrial organisms	soil	short-term (single instance)
1,3-bis[3-(dimethyl-amino)propyl]urea	52338-87-1	PNEC	93 µg/l	aquatic organisms	freshwater	short-term (single instance)
1,3-bis[3-(dimethyl-amino)propyl]urea	52338-87-1	PNEC	9.3 µg/l	aquatic organisms	marine water	short-term (single instance)
1,3-bis[3-(dimethyl-amino)propyl]urea	52338-87-1	PNEC	1.8 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
1,3-bis[3-(dimethyl-amino)propyl]urea	52338-87-1	PNEC	0.372 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
1,3-bis[3-(dimethyl-amino)propyl]urea	52338-87-1	PNEC	37.2 µg/kg	aquatic organisms	marine sediment	short-term (single instance)
1,3-bis[3-(dimethyl-amino)propyl]urea	52338-87-1	PNEC	19.8 µg/kg	terrestrial organisms	soil	short-term (single instance)
3,3'-oxybis(ethyl-eneoxy)bis(propylamine)	4246-51-9	PNEC	0.22 mg/l	aquatic organisms	freshwater	short-term (single instance)
3,3'-oxybis(ethyl-eneoxy)bis(propylamine)	4246-51-9	PNEC	0.022 mg/l	aquatic organisms	marine water	short-term (single instance)
3,3'-oxybis(ethyl-eneoxy)bis(propylamine)	4246-51-9	PNEC	125 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
3,3'-oxybis(ethyl-eneoxy)bis(propylamine)	4246-51-9	PNEC	1.1 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
3,3'-oxybis(ethyl-eneoxy)bis(propylamine)	4246-51-9	PNEC	0.11 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
3,3'-oxybis(ethyl-eneoxy)bis(propylamine)	4246-51-9	PNEC	0.091 mg/kg	terrestrial organisms	soil	short-term (single instance)

## 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection (EN 166).

Skin protection

Protective clothing (EN 340 & EN ISO 13688).

- hand protection



Wear suitable gloves. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the

## AirRepair AR Part B

Version number: 1.0

Date of compilation: 2020-06-30

resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Chemical protection gloves are suitable, which are tested according to EN 374. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- breakthrough times of the glove material

Use gloves with a minimum breakthrough times of the glove material: >480 minutes (permeation: level 6).

- other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

##### Appearance

Physical state	paste
Colour	various
Odour	characteristic

##### Other safety parameters

pH (value)	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	not determined
Flash point	>93 °C
Evaporation rate	not determined
Flammability (solid, gas)	not relevant, (fluid)
Explosive limits	not determined
Vapour pressure	not determined
Density	not determined
Vapour density	this information is not available
Relative density	1.17 at 20 °C (water = 1)
Solubility(ies)	not determined

##### Partition coefficient

- n-octanol/water (log KOW)	this information is not available
-----------------------------	-----------------------------------

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## AirRepair AR Part B

Version number: 1.0

Date of compilation: 2020-06-30

Auto-ignition temperature	not determined
Viscosity	not determined
Explosive properties	none
Oxidising properties	none

### 9.2 Other information

Volatiles (weight %) 0%.

Volatile Organic Compound (VOC) 0 g/L.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

### 10.2 Chemical stability

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

### 10.5 Incompatible materials

Oxidisers.

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification according to GHS (1272/2008/EC, CLP)

##### Acute toxicity

Shall not be classified as acutely toxic.

- acute toxicity of components of the mixture

Acute toxicity estimate (ATE) of components of the mixture			
Name of substance	CAS No	Exposure route	ATE
3,6-diazaoctanethylenediamin	112-24-3	dermal	1,100 mg/kg

## AirRepair AR Part B

Version number: 1.0

Date of compilation: 2020-06-30

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine	68082-29-1	oral	LD50	>2,000 mg/kg	rat
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine	68082-29-1	dermal	LD50	>2,000 mg/kg	rat
1,3-bis[3-(dimethylamino)propyl]urea	52338-87-1	oral	LD50	5,126 mg/kg	rat
1,3-bis[3-(dimethylamino)propyl]urea	52338-87-1	dermal	LD50	2,050 mg/kg	rat
3,3'-oxybis(ethyleneoxy)bis(propylamine)	4246-51-9	oral	LD50	3,160 mg/kg	rat
3,3'-oxybis(ethyleneoxy)bis(propylamine)	4246-51-9	dermal	LD50	>2,150 mg/kg	rat

### Skin corrosion/irritation

Causes skin irritation. Based on a Corrositex test, the product should be classified as skin irritant category 2.

### Serious eye damage/eye irritation

Causes serious eye irritation. Based on a Corrositex test, the product should be classified as eye irritant category 2.

### Respiratory or skin sensitisation

May cause an allergic skin reaction.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## SECTION 12: Ecological information

### 12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine	68082-29-1	LC50	7.07 mg/l	fish	96 h

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## AirRepair AR Part B

Version number: 1.0

Date of compilation: 2020-06-30

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine	68082-29-1	EC50	9.72 mg/l	aquatic invertebrates	24 h
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine	68082-29-1	ErC50	4.34 mg/l	algae	72 h
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine	68082-29-1	NOEC	5 mg/l	fish	96 h
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine	68082-29-1	LOEC	1 mg/l	algae	72 h
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine	68082-29-1	growth (EbCx) 10%	9.03 mg/l	aquatic invertebrates	24 h
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine	68082-29-1	growth rate (Er-Cx) 10%	1.78 mg/l	algae	72 h
1,3-bis[3-(dimethylamino)propyl]urea	52338-87-1	LC50	>1,000 mg/l	fish	96 h
1,3-bis[3-(dimethylamino)propyl]urea	52338-87-1	EC50	93 mg/l	aquatic invertebrates	48 h
1,3-bis[3-(dimethylamino)propyl]urea	52338-87-1	ErC50	>100 mg/l	algae	72 h
1,3-bis[3-(dimethylamino)propyl]urea	52338-87-1	growth rate (Er-Cx) 10%	>100 mg/l	algae	72 h
3,3'-oxybis(ethyleneoxy)bis(propylamine)	4246-51-9	LC50	>1,000 mg/l	fish	96 h
3,3'-oxybis(ethyleneoxy)bis(propylamine)	4246-51-9	EC50	218.2 mg/l	aquatic invertebrates	48 h
3,3'-oxybis(ethyleneoxy)bis(propylamine)	4246-51-9	ErC50	>500 mg/l	algae	72 h
3,3'-oxybis(ethyleneoxy)bis(propylamine)	4246-51-9	NOEC	100 mg/l	fish	96 h
3,3'-oxybis(ethyleneoxy)bis(propylamine)	4246-51-9	growth rate (Er-Cx) 10%	31.3 mg/l	algae	72 h

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine	68082-29-1	EC50	384 mg/l	microorganisms	3 h

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## AirRepair AR Part B

Version number: 1.0

Date of compilation: 2020-06-30

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine	68082-29-1	growth (EbCx) 10%	130 mg/l	microorganisms	3 h
1,3-bis[3-(dimethylamino)propyl]urea	52338-87-1	EC50	>1,000 mg/l	microorganisms	30 min
1,3-bis[3-(dimethylamino)propyl]urea	52338-87-1	NOEC	180 mg/l	microorganisms	3 h
3,3'-oxybis(ethyleneoxy)bis(propylamine)	4246-51-9	EC50	221.9 mg/l	microorganisms	17 h
3,3'-oxybis(ethyleneoxy)bis(propylamine)	4246-51-9	NOEC	125 mg/l	microorganisms	17 h
3,3'-oxybis(ethyleneoxy)bis(propylamine)	4246-51-9	growth (EbCx) 10%	152.5 mg/l	microorganisms	17 h

### 12.2 Persistence and degradability

Degradability of components of the mixture						
Name of substance	CAS No	Process	Degradation rate	Time	Method	Source
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine	68082-29-1	carbon dioxide generation	0 – 70 %	74 d		ECHA
1,3-bis[3-(dimethylamino)propyl]urea	52338-87-1	oxygen depletion	1 %	28 d		ECHA
3,3'-oxybis(ethyleneoxy)bis(propylamine)	4246-51-9	carbon dioxide generation	0 %	3 d		ECHA

### 12.3 Bioaccumulative potential

Bioaccumulative potential of components of the mixture				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine	68082-29-1	77.4	10.34	
1,3-bis[3-(dimethylamino)propyl]urea	52338-87-1	≥0.029 – <2.3	0.817 (20 °C)	
3,3'-oxybis(ethyleneoxy)bis(propylamine)	4246-51-9		-1.25 (pH value: 11.1, 25 °C)	

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

### 12.6 Other adverse effects

Data are not available.

## AirRepair AR Part B

Version number: 1.0

Date of compilation: 2020-06-30

Endocrine disrupting potential

None of the ingredients are listed.

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

### SECTION 14: Transport information

- |  |  |
|--|--|
| <b>14.1 UN number</b>  | not assigned   |
| <b>14.2 UN proper shipping name</b>  | not assigned   |
| <b>14.3 Transport hazard class(es)</b>   | not assigned   |
| <b>14.4 Packing group</b>  | not assigned   |
| <b>14.5 Environmental hazards</b>  | non-environmentally hazardous acc. to the dangerous goods regulations        |
| <b>14.6 Special precautions for user</b>                                       | Provisions for dangerous goods (ADR) should be complied within the premises. |
| <b>14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code</b> | No data available.   |

#### Information for each of the UN Model Regulations

##### **Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)**

not assigned

##### **International Maritime Dangerous Goods Code (IMDG)**

not assigned

##### **International Civil Aviation Organization (ICAO-IATA/DGR)**

not assigned

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### **Relevant provisions of the European Union (EU)**

##### **Restrictions according to REACH, Annex XVII**

Name	Name acc. to inventory	Restriction	No
AirRepair AR Part B	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC	R3	3

#### Legend

- R3
- Shall not be used in:
    - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ash-trays,
    - tricks and jokes,

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## AirRepair AR Part B

Version number: 1.0

Date of compilation: 2020-06-30

### Legend

- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
- 2. Articles not complying with paragraph 1 shall not be placed on the market.
- 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
  - can be used as fuel in decorative oil lamps for supply to the general public, and,
  - present an aspiration hazard and are labelled with R65 or H304,
- 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
- 5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
  - (a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil - or even sucking the wick of lamps - may lead to life-threatening lung damage';
  - (b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage';
  - (c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.
- 6. No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public.
- 7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission.

### List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

None of the ingredients are listed.

### Seveso Directive

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
	not assigned		

### Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

None of the ingredients are listed.

### Water Framework Directive (WFD)

None of the ingredients are listed.

### Regulation 98/2013/EU on the marketing and use of explosives precursors

None of the ingredients are listed.

## 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

## SECTION 16: Other information

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## AirRepair AR Part B

Version number: 1.0

Date of compilation: 2020-06-30

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> )
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LOEC	Lowest Observed Effect Concentration
log KOW	n-Octanol/water
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
NOEC	No Observed Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## AirRepair AR Part B

Version number: 1.0

Date of compilation: 2020-06-30

Abbr.	Descriptions of used abbreviations
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Based on a Corrositex test, the product should be classified as skin irritant category 2 and eye irritant category 2.

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

## PowerPatch Stick

Version number: 1.0

Date of compilation: 2020-06-30

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name **PowerPatch Stick**  
Registration number (REACH) not relevant (mixture)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Professional use

#### 1.3 Details of the supplier of the safety data sheet

Polywater Europe BV  
Zuidhaven 9-11 Unit B2  
4761 CR Zevenbergen  
The Netherlands

Telephone: +31 (0)10 2330578  
e-mail: sds@polywater.com  
Website: www.polywater.com

e-mail (competent person) sds@polywater.com

#### 1.4 Emergency telephone number

Emergency information service +31 (0)10 2330578  
This number is only available during the following office hours: Mon-Fri 09:00 - 17:00

Poison centre		
Country	Name	Telephone
United Kingdom	NHS (general public)	non-emergency: 111 or a doctor; emergency: 999

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and category	Hazard statement
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.4S	skin sensitisation	1	Skin Sens. 1	H317
4.1C	hazardous to the aquatic environment - chronic hazard	3	Aquatic Chronic 3	H412

Code	Supplemental hazard information
EUH205	contains epoxy constituents. May produce an allergic reaction

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- signal word Warning

## PowerPatch Stick

Version number: 1.0

Date of compilation: 2020-06-30

- pictograms

GHS07



- hazard statements

H315 Causes skin irritation.  
 H317 May cause an allergic skin reaction.  
 H319 Causes serious eye irritation.  
 H412 Harmful to aquatic life with long lasting effects.

- precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/....  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
 P337+P313 If eye irritation persists: Get medical advice/attention.  
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- supplemental hazard information

EUH205 Contains epoxy constituents. May produce an allergic reaction.

- hazardous ingredients for labelling

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane

### 2.3 Other hazards

Of no significance.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not relevant (mixture)

### 3.2 Mixtures

The product does not contain any (other) ingredients which are classified according to present knowledge of the supplier and contribute to the classification of the product and hence require reporting in this section.

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes	Specific Conc. Limits	M-Factors
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	CAS No 25068-38-6  EC No 500-033-5  Index No 603-074-00-8  REACH Reg. No 01-2119456619-26-xxxx	10 - < 25	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1 / H317 Aquatic Chronic 2 / H411 EUH205	 	GHS-HC	Skin Irrit. 2; H315: C ≥ 5 % Eye Irrit. 2; H319: C ≥ 5 %	

Notes

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)

### Remarks

For full text of H-phrases: see SECTION 16. All the percentages given are percentages by weight unless stated otherwise.

## PowerPatch Stick

Version number: 1.0

Date of compilation: 2020-06-30

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

##### General notes

Do not leave affected person unattended. Remove victim out of the danger area. In case of unconsciousness place person in the recovery position. Never give anything by mouth. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice.

##### Following inhalation

Provide fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician.

##### Following skin contact

Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

##### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. If eye irritation persists: Get medical advice/attention.

##### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Call a POISON CENTER or doctor if you feel unwell.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

#### 4.3 Indication of any immediate medical attention and special treatment needed

For specialist advice physicians should contact the poison centre.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing media

Water; Foam; Dry extinguishing powder; ABC-powder

##### Unsuitable extinguishing media

Water jet.

#### 5.2 Special hazards arising from the substance or mixture

##### Hazardous combustion products

During fire hazardous fumes/smoke could be produced.

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

##### Special protective equipment for firefighters

Self-contained breathing apparatus (EN 133). Standard protective clothing for firefighters.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

##### For non-emergency personnel

Remove persons to safety. Ventilate affected area.

##### For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Use personal protective equipment as required.

## PowerPatch Stick

Version number: 1.0

Date of compilation: 2020-06-30

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Recommendations

- measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas. Ground/bond container and receiving equipment.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- flammability hazards

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge.

- incompatible substances or mixtures

Keep away from alkalis, oxidising substances, acids.

Control of effects

Protect against external exposure, such as

High temperatures. UV-radiation/sunlight.

Consideration of other advice

Store in a well-ventilated place. Keep container tightly closed.

### 7.3 Specific end use(s)

There is no additional information.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

## PowerPatch Stick

Version number: 1.0

Date of compilation: 2020-06-30

### National limit values

Occupational exposure limit values (Workplace Exposure Limits)									
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Notation	Source
EU	silica, crystalline	14808-60-7	IOELV		0.1			r	2017/2398/EU
GB	silica, crystalline	14808-60-7	WEL		0.1			r	EH40/2005

#### Notation

r	respirable fraction
STEL	short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
TWA	time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

### Relevant DNELs/DMELs/PNECs and other threshold levels

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	DNEL	8.33 mg/kg	human, dermal	worker (industry)	acute - systemic effects
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	DNEL	12.25 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	DNEL	8.33 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	DNEL	12.25 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	DNEL	0.75 mg/kg	human, oral	consumer (private households)	acute - systemic effects
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	DNEL	0.75 mg/kg	human, oral	consumer (private households)	chronic - systemic effects
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	DNEL	3.571 mg/kg	human, dermal	consumer (private households)	acute - systemic effects
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	DNEL	3.571 mg/kg	human, dermal	consumer (private households)	chronic - systemic effects

## PowerPatch Stick

Version number: 1.0

Date of compilation: 2020-06-30

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	PNEC	0.006 mg/l	aquatic organisms	freshwater	short-term (single instance)
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	PNEC	0.0006 mg/l	aquatic organisms	marine water	short-term (single instance)
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	PNEC	0.996 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	PNEC	0.0996 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	PNEC	11 mg/kg	aquatic organisms	water	short-term (single instance)
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	PNEC	0.196 mg/kg	terrestrial organisms	soil	short-term (single instance)
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	PNEC	0.018 mg/l	aquatic organisms	water	intermittent release

### 8.2 Exposure controls

#### Appropriate engineering controls

General ventilation.

#### Individual protection measures (personal protective equipment)

##### Eye/face protection



Use safety goggle with side protection (EN 166).

##### Skin protection

Protective clothing (EN 340 & EN ISO 13688).

##### - hand protection



Chemical protection gloves are suitable, which are tested according to EN 374. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is



## PowerPatch Stick

Version number: 1.0

Date of compilation: 2020-06-30

a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- breakthrough times of the glove material

Use gloves with a minimum breakthrough times of the glove material: >480 minutes (permeation: level 6).

- other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

##### Appearance

Physical state	paste
Colour	grey - black
Odour	pungent - like sulphur

##### Other safety parameters

pH (value)	not applicable
Melting point/freezing point	not determined
Initial boiling point and boiling range	not determined
Flash point	>93.3 °C (c.c.)
Evaporation rate	not determined
Flammability (solid, gas)	this material is combustible, but will not ignite readily
Explosion limits of dust clouds	not determined
Vapour pressure	not determined
Density	2.247 g/cm <sup>3</sup>
Vapour density	this information is not available
Solubility(ies)	not determined

##### Partition coefficient

- n-octanol/water (log KOW)	this information is not available
-----------------------------	-----------------------------------

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## PowerPatch Stick

Version number: 1.0

Date of compilation: 2020-06-30

Auto-ignition temperature	not determined
Decomposition temperature	>220 °C
Viscosity	not relevant (solid matter)
Explosive properties	none
Oxidising properties	none

### 9.2 Other information

There is no additional information.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

### 10.2 Chemical stability

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

#### Hints to prevent fire or explosion

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

### 10.5 Incompatible materials

Oxidisers.

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification according to GHS (1272/2008/EC, CLP)

##### Acute toxicity

Shall not be classified as acutely toxic.

- acute toxicity of components of the mixture

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	oral	LD50	>2,000 mg/kg	rat

## PowerPatch Stick

Version number: 1.0

Date of compilation: 2020-06-30

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	dermal	LD50	>2,000 mg/kg	rat

### Skin corrosion/irritation

Causes skin irritation.

### Serious eye damage/eye irritation

Causes serious eye irritation.

### Respiratory or skin sensitisation

May cause an allergic skin reaction.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## SECTION 12: Ecological information

### 12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	LC50	2.7 mg/l	fish	48 h
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	EC50	2.8 mg/l	aquatic invertebrates	48 h
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	ErC50	>11 mg/l	algae	72 h
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	NOEC	2.4 mg/l	algae	72 h

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## PowerPatch Stick

Version number: 1.0

Date of compilation: 2020-06-30

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	LC50	4.4 mg/l	fish	24 h
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	EC50	4.6 mg/l	aquatic invertebrates	24 h
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	NOEC	0.3 mg/l	aquatic invertebrates	21 d
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	LOEC	1 mg/l	aquatic invertebrates	21 d
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	growth (EbCx) 10%	100 mg/l	microorganisms	3 h

### 12.2 Persistence and degradability

Degradability of components of the mixture						
Name of substance	CAS No	Process	Degradation rate	Time	Method	Source
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	oxygen depletion	5 %	28 d		ECHA

### 12.3 Bioaccumulative potential

Bioaccumulative potential of components of the mixture				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6		2.918 (25 °C)	

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

### 12.6 Other adverse effects

Data are not available.

#### Endocrine disrupting potential

None of the ingredients are listed.

## PowerPatch Stick

Version number: 1.0

Date of compilation: 2020-06-30

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

### SECTION 14: Transport information

- 14.1 UN number** not subject to transport regulations
- 14.2 UN proper shipping name** not relevant
- 14.3 Transport hazard class(es)** none
- 14.4 Packing group** not assigned
- 14.5 Environmental hazards** non-environmentally hazardous acc. to the dangerous goods regulations
- 14.6 Special precautions for user**  
There is no additional information.
- 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code**  
No data available.

#### Information for each of the UN Model Regulations

##### **Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)**

Not subject to ADR. Not subject to RID. Not subject to ADN.

##### **International Maritime Dangerous Goods Code (IMDG)**

Not subject to IMDG.

##### **International Civil Aviation Organization (ICAO-IATA/DGR)**

Not subject to ICAO-IATA.

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### **Relevant provisions of the European Union (EU)**

##### **Restrictions according to REACH, Annex XVII**

Name	Name acc. to inventory	Restriction	No
bisphenol-A-epichlorohydrine, epoxyresin (average molecularweight ≤ 700)	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC	R3	3

#### Legend

R3

- Shall not be used in:
  - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ash-trays,
  - tricks and jokes,
  - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
- Articles not complying with paragraph 1 shall not be placed on the market.
- Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
  - can be used as fuel in decorative oil lamps for supply to the general public, and,
  - present an aspiration hazard and are labelled with R65 or H304,
- Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## PowerPatch Stick

Version number: 1.0

Date of compilation: 2020-06-30

### Legend

on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).  
5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:  
(a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil - or even sucking the wick of lamps - may lead to life-threatening lung damage';  
(b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage';  
(c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.  
6. No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public.  
7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission.

### List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

None of the ingredients are listed.

### Seveso Directive

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
	not assigned		

### Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

None of the ingredients are listed.

### Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Organohalogen compounds and substances which may form such compounds in the aquatic environment		A)	

### Legend

A) Indicative list of the main pollutants

### Regulation 98/2013/EU on the marketing and use of explosives precursors

None of the ingredients are listed.

## 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

## SECTION 16: Other information

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2017/2398/EU	Directive of the European Parliament and of the Council amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## PowerPatch Stick

Version number: 1.0

Date of compilation: 2020-06-30

Abbr.	Descriptions of used abbreviations
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> )
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LOEC	Lowest Observed Effect Concentration
log KOW	n-Octanol/water
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
NOEC	No Observed Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## PowerPatch Stick

Version number: 1.0

Date of compilation: 2020-06-30

Abbr.	Descriptions of used abbreviations
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.



## Type RP Wipe

Version number: 1.1

Date of compilation: 2020-07-16

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name **Type RP Wipe**  
Registration number (REACH) not relevant (mixture)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Professional use

#### 1.3 Details of the supplier of the safety data sheet

Polywater Europe BV  
Zuidhaven 9-11 Unit B2  
4761 CR Zevenbergen  
The Netherlands

Telephone: +31 (0)10 2330578  
e-mail: sds@polywater.com  
Website: www.polywater.com

e-mail (competent person) sds@polywater.com

#### 1.4 Emergency telephone number

Emergency information service +31 (0)10 2330578  
This number is only available during the following office hours: Mon-Fri 09:00 - 17:00

Poison centre		
Country	Name	Telephone
United Kingdom	NHS (general public)	non-emergency: 111 or a doctor; emergency: 999

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and category	Hazard statement
2.7	flammable solid	1	Flam. Sol. 1	H228
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
3.8D	specific target organ toxicity - single exposure (narcotic effects, drowsiness)	3	STOT SE 3	H336
4.1C	hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- signal word Danger

- pictograms

GHS02, GHS07,  
GHS09



## Type RP Wipe

Version number: 1.1

Date of compilation: 2020-07-16

- hazard statements

H228	Flammable solid.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

- precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P243	Take action to prevent static discharges.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/....
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor/...
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P331	Do NOT induce vomiting.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.

- hazardous ingredients for labelling

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics; 2-Methylpentane; n-Pentane; 1-methoxy-2-propanol

Labelling of packages where the contents do not exceed 125 ml

- signal word danger

- hazard pictogram(s)

Danger. GHS02,  
GHS07,  
GHS09



- hazard statements

- contains Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics, 2-Methylpentane, n-Pentane, 1-methoxy-2-propanol

### 2.3 Other hazards

Of no significance.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not relevant (mixture)

### 3.2 Mixtures

The product does not contain any (other) ingredients which are classified according to present knowledge of the supplier and contribute to the classification of the product and hence require reporting in this section.

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes	Specific Conc. Limits	M-Factors
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	CAS No 64742-49-0  EC No 927-510-4  REACH Reg. No 01- 2119475515 -33-xxxx	25 – < 50	Flam. Liq. 2 / H225 Skin Irrit. 2 / H315 STOT SE 3 / H336 Asp. Tox. 1 / H304 Aquatic Chronic 2 / H411	   			














# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## Type RP Wipe

Version number: 1.1

Date of compilation: 2020-07-16

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes	Specific Conc. Limits	M-Factors
2-Methylpentane	CAS No 107-83-5  EC No 203-523-4  REACH Reg. No 01- 2120768140 -61-xxxx	25 – < 50	Flam. Liq. 2 / H225 Skin Irrit. 2 / H315 STOT SE 3 / H336 Asp. Tox. 1 / H304	  			
n-Pentane	CAS No 109-66-0  EC No 203-692-4  Index No 601-006-00- 1  REACH Reg. No 01- 2119459286 -30-xxxx	5 – < 10	Flam. Liq. 2 / H225 Skin Irrit. 2 / H315 STOT SE 3 / H336 Asp. Tox. 1 / H304 Aquatic Chronic 2 / H411 EUH066	   	IOELV		
1-methoxy-2-propanol	CAS No 107-98-2  EC No 203-539-1  REACH Reg. No 01- 2119457435 -35-xxxx	2.5 – < 5	Flam. Liq. 3 / H226 STOT SE 3 / H336	 			
n-hexane; hexane	CAS No 110-54-3  EC No 269-792-5 203-777-6  Index No 601-037-00- 0  REACH Reg. No 01- 2119480412 -44-xxxx	1 – < 2.5	Flam. Liq. 2 / H225 Skin Irrit. 2 / H315 Repr. 2 / H361f STOT SE 3 / H336 STOT RE 2 / H373 Asp. Tox. 1 / H304 Aquatic Chronic 2 / H411	   	IOELV	STOT RE 2; H373: C ≥ 5 %	

### Notes

IOELV: Substance with a community indicative occupational exposure limit value

### Remarks

For full text of H-phrases: see SECTION 16. All the percentages given are percentages by weight unless stated otherwise.

## Type RP Wipe

Version number: 1.1

Date of compilation: 2020-07-16

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

##### General notes

Do not leave affected person unattended. Remove victim out of the danger area. In case of unconsciousness place person in the recovery position. Never give anything by mouth. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice.

##### Following inhalation

Provide fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician.

##### Following skin contact

Rinse skin with water/shower. Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

##### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. If eye irritation persists: Get medical advice/attention.

##### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Call a POISON CENTER/doctor.

#### 4.2 Most important symptoms and effects, both acute and delayed

Narcotic effects.

#### 4.3 Indication of any immediate medical attention and special treatment needed

For specialist advice physicians should contact the poison centre.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing media

Water; Foam; Dry extinguishing powder; ABC-powder

##### Unsuitable extinguishing media

Water jet.

#### 5.2 Special hazards arising from the substance or mixture

Deposited combustible dust has considerable explosion potential.

##### Hazardous combustion products

During fire hazardous fumes/smoke could be produced.

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

##### Special protective equipment for firefighters

Self-contained breathing apparatus (EN 133). Standard protective clothing for firefighters.

## Type RP Wipe

Version number: 1.1

Date of compilation: 2020-07-16

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Ventilate affected area. Control of dust.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Use personal protective equipment as required.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

#### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Recommendations

- measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Take precautionary measures against static discharge. Use only in well-ventilated areas. Ground/bond container and receiving equipment.

- specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- explosive atmospheres

Removal of dust deposits.

- flammability hazards

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

- incompatible substances or mixtures

Keep away from alkalis, oxidising substances, acids.

Control of effects

Protect against external exposure, such as

High temperatures. UV-radiation/sunlight.

## Type RP Wipe

Version number: 1.1

Date of compilation: 2020-07-16

### Consideration of other advice

Store in a well-ventilated place. Keep container tightly closed.

### - ventilation requirements

Use local and general ventilation.

### - packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

### 7.3 Specific end use(s)

There is no additional information.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### National limit values

Occupational exposure limit values (Workplace Exposure Limits)									
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Notation	Source
EU	1-methoxy-2-propanol	107-98-2	IOELV	100	375	150	568		2000/39/EC
EU	n-pentane	109-66-0	IOELV	1,000	3,000				2006/15/EC
EU	n-hexane	110-54-3	IOELV	20	72				2006/15/EC
GB	dust		WEL		10			i	EH40/2005
GB	dust		WEL		4			r	EH40/2005
GB	hydrocarbon mixture (RCP method)		WEL		300		600		EH40/2005
GB	1-methoxypropan-2-ol	107-98-2	WEL	100	375	150	560		EH40/2005
GB	pentane	109-66-0	WEL	600	1,800				EH40/2005
GB	n-hexane	110-54-3	WEL	20	72				EH40/2005

#### Notation

i inhalable fraction

r respirable fraction

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

### Relevant DNELs/DMELs/PNECs and other threshold levels

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	DNEL	2,085 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	DNEL	300 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	DNEL	447 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - systemic effects

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## Type RP Wipe

Version number: 1.1

Date of compilation: 2020-07-16

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	DNEL	149 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	DNEL	149 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects
n-Pentane	109-66-0	DNEL	3,000 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
n-Pentane	109-66-0	DNEL	432 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
n-Pentane	109-66-0	DNEL	643 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - systemic effects
n-Pentane	109-66-0	DNEL	214 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
n-Pentane	109-66-0	DNEL	214 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects
1-methoxy-2-propanol	107-98-2	DNEL	369 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
1-methoxy-2-propanol	107-98-2	DNEL	553.5 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
1-methoxy-2-propanol	107-98-2	DNEL	553.5 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects
1-methoxy-2-propanol	107-98-2	DNEL	183 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
1-methoxy-2-propanol	107-98-2	DNEL	43.9 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - systemic effects
1-methoxy-2-propanol	107-98-2	DNEL	78 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
1-methoxy-2-propanol	107-98-2	DNEL	33 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects
n-hexane; hexane	110-54-3	DNEL	75 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
n-hexane; hexane	110-54-3	DNEL	11 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
n-hexane; hexane	110-54-3	DNEL	16 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - systemic effects
n-hexane; hexane	110-54-3	DNEL	5.3 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
n-hexane; hexane	110-54-3	DNEL	4 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
n-Pentane	109-66-0	PNEC	230 µg/l	aquatic organisms	freshwater	short-term (single instance)

## Type RP Wipe

Version number: 1.1

Date of compilation: 2020-07-16

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
n-Pentane	109-66-0	PNEC	230 µg/l	aquatic organisms	marine water	short-term (single instance)
n-Pentane	109-66-0	PNEC	3,600 µg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
n-Pentane	109-66-0	PNEC	1.2 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
n-Pentane	109-66-0	PNEC	1.2 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
n-Pentane	109-66-0	PNEC	0.55 mg/kg	terrestrial organisms	soil	short-term (single instance)
1-methoxy-2-propanol	107-98-2	PNEC	100 mg/l	microorganisms	sewage treatment plant (STP)	short-term (single instance)
1-methoxy-2-propanol	107-98-2	PNEC	52.3 mg/kg	benthic organisms	sediments	short-term (single instance)
1-methoxy-2-propanol	107-98-2	PNEC	5.2 mg/kg	pelagic organisms	sediments	short-term (single instance)
1-methoxy-2-propanol	107-98-2	PNEC	100 mg/l	aquatic organisms	water	intermittent release
1-methoxy-2-propanol	107-98-2	PNEC	10 mg/l	aquatic organisms	freshwater	short-term (single instance)
1-methoxy-2-propanol	107-98-2	PNEC	1 mg/l	aquatic organisms	marine water	short-term (single instance)
1-methoxy-2-propanol	107-98-2	PNEC	100 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
1-methoxy-2-propanol	107-98-2	PNEC	52.3 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
1-methoxy-2-propanol	107-98-2	PNEC	5.2 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
1-methoxy-2-propanol	107-98-2	PNEC	4.59 mg/kg	terrestrial organisms	soil	short-term (single instance)

## 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection (EN 166).

Skin protection

Protective clothing (EN 340 & EN ISO 13688).

- hand protection



Chemical protection gloves are suitable, which are tested according to EN 374. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.



## Type RP Wipe

Version number: 1.1

Date of compilation: 2020-07-16

- breakthrough times of the glove material

Use gloves with a minimum breakthrough times of the glove material: >480 minutes (permeation: level 6).

- other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state	solid
Colour	colourless
Odour	mild

#### Other safety parameters

pH (value)	not applicable
Melting point/freezing point	not determined
Initial boiling point and boiling range	62 °C
Flash point	-7 °C
Evaporation rate	>2 (n-butyl acetate = 1)
Flammability (solid, gas)	flammable solid in accordance with GHS criteria
Vapour pressure	not determined
Density	0.72 g/cm <sup>3</sup>
Vapour density	>1 (air=1)
Solubility(ies)	not determined

#### Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	not determined
Viscosity	not relevant (solid matter)
Explosive properties	none
Oxidising properties	none

## Type RP Wipe

Version number: 1.1

Date of compilation: 2020-07-16

### 9.2 Other information

There is no additional information.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition.

### 10.2 Chemical stability

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

### 10.5 Incompatible materials

Oxidisers.

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

- acute toxicity of components of the mixture

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	inhalation: vapour	LC50	>23.3 mg/l/4h	rat
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	dermal	LD50	>2,800 – 3,100 mg/kg	rat
2-Methylpentane	107-83-5	oral	LD50	15.84 mg/kg	rat
n-Pentane	109-66-0	oral	LD50	>5,000 mg/kg	rat
n-Pentane	109-66-0	inhalation: vapour	LC50	>25.3 mg/l/4h	rat
1-methoxy-2-propanol	107-98-2	oral	LD50	4,277 mg/kg	rat

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## Type RP Wipe

Version number: 1.1

Date of compilation: 2020-07-16

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
1-methoxy-2-propanol	107-98-2	dermal	LD50	>2,000 mg/kg	rat

### Skin corrosion/irritation

Causes skin irritation.

### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## SECTION 12: Ecological information

### 12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	LL50	>13.4 mg/l	fish	96 h
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	EL50	12 mg/l	aquatic invertebrates	24 h
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	EC50	0.64 mg/l	aquatic invertebrates	48 h
2-Methylpentane	107-83-5	LC50	3.649 mg/l	aquatic invertebrates	48 h
2-Methylpentane	107-83-5	EC50	4.321 mg/l	algae	96 h
n-Pentane	109-66-0	LL50	27.55 mg/l	fish	96 h
n-Pentane	109-66-0	EL50	48.11 mg/l	aquatic invertebrates	48 h
n-Pentane	109-66-0	NOEC	4.549 mg/l	algae	72 h
1-methoxy-2-propanol	107-98-2	LC50	<10,000 mg/l	fish	96 h

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## Type RP Wipe

Version number: 1.1

Date of compilation: 2020-07-16

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
1-methoxy-2-propanol	107-98-2	NOEC	4,640 mg/l	fish	96 h
n-hexane; hexane	110-54-3	LL50	12.51 mg/l	fish	96 h
n-hexane; hexane	110-54-3	EL50	21.85 mg/l	aquatic invertebrates	48 h

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	EL50	1.6 mg/l	aquatic invertebrates	21 d
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	EC50	0.23 mg/l	aquatic invertebrates	21 d
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	NOEC	0.17 mg/l	aquatic invertebrates	21 d
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	LOEC	0.32 mg/l	aquatic invertebrates	21 d
1-methoxy-2-propanol	107-98-2	ErC50	>1,000 mg/l	algae	7 d

### 12.2 Persistence and degradability

Degradability of components of the mixture						
Name of substance	CAS No	Process	Degradation rate	Time	Method	Source
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	oxygen depletion	83 %	16 d		ECHA
2-Methylpentane	107-83-5	oxygen depletion	93 %	28 d		ECHA
n-Pentane	109-66-0	oxygen depletion	3 %	7 d		ECHA
1-methoxy-2-propanol	107-98-2	DOC removal	96 %	28 d		ECHA
n-hexane; hexane	110-54-3	oxygen depletion	83 %	10 d		ECHA

### 12.3 Bioaccumulative potential

Bioaccumulative potential of components of the mixture				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
2-Methylpentane	107-83-5		3.214 (pH value: 7, 25 °C)	
n-Pentane	109-66-0	171	3.45 (pH value: 7, 25 °C)	
1-methoxy-2-propanol	107-98-2		<1 (pH value: 6.8, 20 °C)	
n-hexane; hexane	110-54-3	501.2	4 (pH value: 7, 20 °C)	

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

## Type RP Wipe

Version number: 1.1

Date of compilation: 2020-07-16

### 12.6 Other adverse effects

Data are not available.

Endocrine disrupting potential

None of the ingredients are listed.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment.

Waste treatment of containers/packages

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

### Remarks



Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

## SECTION 14: Transport information

<b>14.1 UN number</b>	3175
<b>14.2 UN proper shipping name</b>	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
Technical name (Hazardous ingredients)	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics, 2-Methylpentane
<b>14.3 Transport hazard class(es)</b>	
Class	4.1 (flammable solids) (environmentally hazardous)
<b>14.4 Packing group</b>	II (substance presenting medium danger)
<b>14.5 Environmental hazards</b>	hazardous to the aquatic environment
Environmentally hazardous substance (aquatic environment)	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics
<b>14.6 Special precautions for user</b>	
Provisions for dangerous goods (ADR) should be complied within the premises.	
<b>14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code</b>	
No data available.	

### Information for each of the UN Model Regulations

#### **Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)**

UN number	3175
Proper shipping name	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
Class	4.1
Classification code	F1
Packing group	II
Danger label(s)	4.1, fish and tree
 	
Environmental hazards	yes (hazardous to the aquatic environment)
Special provisions (SP)	216, 274, 601, 800(ADN)

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## Type RP Wipe

Version number: 1.1

Date of compilation: 2020-07-16

Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
Transport category (TC)	2
Tunnel restriction code (TRC)	E
Hazard identification No	40
Emergency Action Code	1Z
<b>International Maritime Dangerous Goods Code (IMDG)</b>	
UN number	3175
Proper shipping name	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
Class	4.1
Marine pollutant	yes (hazardous to the aquatic environment)
Packing group	II
Danger label(s)	4.1, fish and tree
Special provisions (SP)	216, 274
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
EmS	F-A, S-1
Stowage category	B
<b>International Civil Aviation Organization (ICAO-IATA/DGR)</b>	
UN number	3175
Proper shipping name	Solids containing flammable liquid, n.o.s.
Class	4.1
Environmental hazards	yes (hazardous to the aquatic environment)
Packing group	II
Danger label(s)	4.1
Special provisions (SP)	A46
Excepted quantities (EQ)	E2
Limited quantities (LQ)	5 kg

### SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**  
**Relevant provisions of the European Union (EU)**  
**Restrictions according to REACH, Annex XVII**

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## Type RP Wipe

Version number: 1.1

Date of compilation: 2020-07-16

Name	Name acc. to inventory	Restriction	No
1-methoxy-2-propanol	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC	R3	3
1-methoxy-2-propanol	flammable / pyrophoric	R40	40
n-Pentane	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC	R3	3
n-Pentane	flammable / pyrophoric	R40	40
n-hexane; hexane	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC	R3	3
n-hexane; hexane	flammable / pyrophoric	R40	40
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC	R3	3
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	flammable / pyrophoric	R40	40
2-methylpentane	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC	R3	3
2-methylpentane	flammable / pyrophoric	R40	40

### Legend

R3

- Shall not be used in:
  - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ash-trays,
  - tricks and jokes,
  - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
- Articles not complying with paragraph 1 shall not be placed on the market.
- Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
  - can be used as fuel in decorative oil lamps for supply to the general public, and,
  - present an aspiration hazard and are labelled with R65 or H304,
- Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
- Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
  - lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil - or even sucking the wick of lamps - may lead to life-threatening lung damage';
  - grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage';
  - lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.
- No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public.
- Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## Type RP Wipe

Version number: 1.1

Date of compilation: 2020-07-16

### Legend

R40

1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:
  - metallic glitter intended mainly for decoration,
  - artificial snow and frost,
  - 'whoopee' cushions,
  - silly string aerosols,
  - imitation excrement,
  - horns for parties,
  - decorative flakes and foams,
  - artificial cobwebs,
  - stink bombs.
2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:
  - 'For professional users only'.
3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

### List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

None of the ingredients are listed.

### Seveso Directive

2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements		Notes
E2	environmental hazards (hazardous to the aquatic environment, cat. 2)	200	500	57)

### Notation

57) hazardous to the Aquatic Environment in category Chronic 2

### Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

None of the ingredients are listed.

### Water Framework Directive (WFD)

None of the ingredients are listed.

### Regulation 98/2013/EU on the marketing and use of explosives precursors

None of the ingredients are listed.

## 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

## SECTION 16: Other information

### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)
2.2		Labelling of packages where the contents do not exceed 125 ml
2.2		- signal word: danger
2.2		- hazard pictogram(s): change in the listing (table)
2.2		- hazard statements: change in the listing (table)



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## Type RP Wipe

Version number: 1.1

Date of compilation: 2020-07-16

Section	Former entry (text/value)	Actual entry (text/value)
2.2		- contains: Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics, 2-Methylpentane, n-Pentane, 1-methoxy-2-propanol

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
Asp. Tox.	Aspiration hazard
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> )
EINECS	European Inventory of Existing Commercial Chemical Substances
EL50	Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## Type RP Wipe

Version number: 1.1

Date of compilation: 2020-07-16

Abbr.	Descriptions of used abbreviations
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LL50	Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality
LOEC	Lowest Observed Effect Concentration
log KOW	n-Octanol/water
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
NOEC	No Observed Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
RCP	Reciprocal calculation procedure
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## Type RP Wipe

Version number: 1.1

Date of compilation: 2020-07-16

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H228	Flammable solid.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H361f	Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

## AirRepair Primer PW-1

Version number: 1.0

Date of compilation: 2020-07-08

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name **AirRepair Primer PW-1**  
Registration number (REACH) not relevant (mixture)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Professional use

#### 1.3 Details of the supplier of the safety data sheet

Polywater Europe BV  
Zuidhaven 9-11 Unit B2  
4761 CR Zevenbergen  
The Netherlands

Telephone: +31 (0)10 2330578  
e-mail: sds@polywater.com  
Website: www.polywater.com

e-mail (competent person) sds@polywater.com

#### 1.4 Emergency telephone number

Emergency information service +31 (0)10 2330578  
This number is only available during the following office hours: Mon-Fri 09:00 - 17:00

Poison centre		
Country	Name	Telephone
United Kingdom	NHS (general public)	non-emergency: 111 or a doctor; emergency: 999

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and category	Hazard statement
2.6	flammable liquid	2	Flam. Liq. 2	H225
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
3.4S	skin sensitisation	1	Skin Sens. 1	H317
3.8D	specific target organ toxicity - single exposure (narcotic effects, drowsiness)	3	STOT SE 3	H336
4.1C	hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources. Spillage and fire water can cause pollution of water-courses.

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- signal word Danger

## AirRepair Primer PW-1

Version number: 1.0

Date of compilation: 2020-07-08

- pictograms

GHS02, GHS07,  
GHS09



- hazard statements

H225 Highly flammable liquid and vapour.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H336 May cause drowsiness or dizziness.  
H411 Toxic to aquatic life with long lasting effects.

- precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P243 Take action to prevent static discharges.  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

- hazardous ingredients for labelling

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics; alpha-pinene and beta-pinene oligomers; Cyclohexane; 2-(2H-benzotriazol-2-yl)-p-cresol

### 2.3 Other hazards

Of no significance.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not relevant (mixture)

### 3.2 Mixtures

The product does not contain any (other) ingredients which are classified according to present knowledge of the supplier and contribute to the classification of the product and hence require reporting in this section.

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes	Specific Conc. Limits	M-Factors
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	CAS No 64742-49-0  EC No 927-510-4  REACH Reg. No 01- 2119475515 -33-xxxx	75 - < 90	Flam. Liq. 2 / H225 Skin Irrit. 2 / H315 STOT SE 3 / H336 Asp. Tox. 1 / H304 Aquatic Chronic 2 / H411	   			









# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## AirRepair Primer PW-1

Version number: 1.0

Date of compilation: 2020-07-08

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes	Specific Conc. Limits	M-Factors
Cyclohexane	CAS No 110-82-7  EC No 203-806-2  Index No 601-017-00-1  REACH Reg. No 01- 2119463273 -41-xxxx	5 – < 10	Flam. Liq. 2 / H225 Skin Irrit. 2 / H315 STOT SE 3 / H336 Asp. Tox. 1 / H304 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	   	GHS- HC IOELV		
alpha-pinene and beta-pinene oligomers	CAS No 31393-98-3  EC No 608-613-0  REACH Reg. No 01- 2120767482 -48-xxxx	1 – < 2.5	Skin Sens. 1B / H317 Aquatic Chronic 4 / H413				
DIPENTENE POLYMER	CAS No 9003-73-0  EC No 618-374-4	1 – < 2.5	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319				
2-(2H-benzotriazol-2-yl)-p-cresol	CAS No 2440-22-4  EC No 219-470-5  REACH Reg. No 01- 2119583811 -34-xxxx	< 1	Skin Sens. 1B / H317 Aquatic Chronic 1 / H410	 			M-factor (acute) = 10.0

### Notes

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)  
IOELV: Substance with a community indicative occupational exposure limit value

### Remarks

For full text of H-phrases: see SECTION 16. All the percentages given are percentages by weight unless stated otherwise.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. In case of unconsciousness place person in the recovery position. Never give anything by mouth. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following inhalation

Provide fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician.

#### Following skin contact

Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

## AirRepair Primer PW-1

Version number: 1.0

Date of compilation: 2020-07-08

### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. If eye irritation persists: Get medical advice/attention.

### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Call a POISON CENTER or doctor if you feel unwell.

## 4.2 Most important symptoms and effects, both acute and delayed

See section 11: Toxicological information.

## 4.3 Indication of any immediate medical attention and special treatment needed

For specialist advice physicians should contact the poison centre.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media

Dry extinguishing powder; Carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing media

Water jet.

### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

During fire hazardous fumes/smoke could be produced. Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance. Keep containers cool with water spray.

Special protective equipment for firefighters

Self-contained breathing apparatus (EN 133). Standard protective clothing for firefighters.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Keep away from heat/sparks/open flames/hot surfaces. No smoking. For a spill in a confined space, provide mechanical ventilation to disperse or exhaust vapors. For emergency responders: use respiratory protection: half-face or full-face respirator with filter(s) for organic vapor for spills in a confined space. Chemical goggles are recommended if splashes or contact with eyes is possible. For small spills: normal antistatic work clothes are usually adequate.

### 6.2 Environmental precautions

Avoid release to the environment. If substance has entered a water course or sewer, inform the responsible authority.

### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece).

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

## AirRepair Primer PW-1

Version number: 1.0

Date of compilation: 2020-07-08

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Keep away from heat/sparks/open flames/hot surfaces. Take precautionary measures against static discharge. No smoking. Avoid breathing vapors or spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Wash contaminated clothing before reuse. Use only outdoors or in a well-ventilated area. For industrial or professional use only.

#### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Managing of associated risks

##### - explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool.

##### - flammability hazards

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Protect from sunlight.

##### - incompatible substances or mixtures

Keep away from alkalis, oxidising substances, acids.

#### Control of effects

#### Protect against external exposure, such as

High temperatures. UV-radiation/sunlight.

#### Consideration of other advice

Store in a well-ventilated place. Keep container tightly closed.

##### - ventilation requirements

Use local and general ventilation.

### 7.3 Specific end use(s)

See technical data sheet on this product for further information.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### National limit values

Occupational exposure limit values (Workplace Exposure Limits)									
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Notation	Source
EU	cyclohexane	110-82-7	IOELV	200	700				2006/15/EC
GB	cyclohexane	110-82-7	WEL	100	350	300	1,050		EH40/2005

#### Notation

##### STEL

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

##### TWA

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)



## AirRepair Primer PW-1

Version number: 1.0

Date of compilation: 2020-07-08

### Relevant DNELs/DMELs/PNECs and other threshold levels

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	DNEL	2,085 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	DNEL	300 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	DNEL	447 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - systemic effects
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	DNEL	149 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	DNEL	149 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects
Cyclohexane	110-82-7	DNEL	700 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Cyclohexane	110-82-7	DNEL	1,400 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
Cyclohexane	110-82-7	DNEL	700 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
Cyclohexane	110-82-7	DNEL	1,400 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects
Cyclohexane	110-82-7	DNEL	2,016 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Cyclohexane	110-82-7	DNEL	206 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - systemic effects
Cyclohexane	110-82-7	DNEL	412 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	acute - systemic effects
Cyclohexane	110-82-7	DNEL	206 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - local effects
Cyclohexane	110-82-7	DNEL	412 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	acute - local effects
Cyclohexane	110-82-7	DNEL	1,186 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
Cyclohexane	110-82-7	DNEL	59.4 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects
alpha-pinene and beta-pinene oligomers	31393-98-3	DNEL	17.7 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
alpha-pinene and beta-pinene oligomers	31393-98-3	DNEL	5.03 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
alpha-pinene and beta-pinene oligomers	31393-98-3	DNEL	3.13 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - systemic effects
alpha-pinene and beta-pinene oligomers	31393-98-3	DNEL	1.8 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
alpha-pinene and beta-pinene oligomers	31393-98-3	DNEL	1.8 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## AirRepair Primer PW-1

Version number: 1.0

Date of compilation: 2020-07-08

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	DNEL	1 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	DNEL	1 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	DNEL	1 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects
2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	DNEL	2.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	DNEL	1.2 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	DNEL	1.2 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Cyclohexane	110-82-7	PNEC	0.207 mg/l	aquatic organisms	freshwater	short-term (single instance)
Cyclohexane	110-82-7	PNEC	0.207 mg/l	aquatic organisms	marine water	short-term (single instance)
Cyclohexane	110-82-7	PNEC	3.24 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Cyclohexane	110-82-7	PNEC	16.68 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Cyclohexane	110-82-7	PNEC	16.68 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Cyclohexane	110-82-7	PNEC	3.38 mg/kg	terrestrial organisms	soil	short-term (single instance)
alpha-pinene and beta-pinene oligomers	31393-98-3	PNEC	1.56 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
alpha-pinene and beta-pinene oligomers	31393-98-3	PNEC	0.156 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
alpha-pinene and beta-pinene oligomers	31393-98-3	PNEC	3.086 mg/kg	terrestrial organisms	soil	short-term (single instance)
2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	PNEC	0 mg/l	aquatic organisms	freshwater	short-term (single instance)
2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	PNEC	0 mg/l	aquatic organisms	marine water	short-term (single instance)
2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	PNEC	1 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	PNEC	0.136 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	PNEC	0.014 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	PNEC	100 mg/kg	terrestrial organisms	soil	short-term (single instance)

## AirRepair Primer PW-1

Version number: 1.0

Date of compilation: 2020-07-08

### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection (EN 166).

Skin protection

Protective clothing (EN 340 & EN ISO 13688).

- hand protection



Wear suitable gloves. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Chemical protection gloves are suitable, which are tested according to EN 374. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- breakthrough times of the glove material

Use gloves with a minimum breakthrough times of the glove material: >480 minutes (permeation: level 6).

- other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state	liquid (slightly viscous)
Colour	light
Odour	mild

#### Other safety parameters

pH (value)	not applicable
Melting point/freezing point	not determined
Initial boiling point and boiling range	62 °C
Flash point	-6 °C (TCC)
Evaporation rate	>2 (n-butyl acetate = 1)
Flammability (solid, gas)	not relevant, (fluid)

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## AirRepair Primer PW-1

Version number: 1.0

Date of compilation: 2020-07-08

Vapour pressure	not determined
Density	not determined
Vapour density	>1 (air = 1)
Relative density	information on this property is not available
Solubility(ies)	not determined
Partition coefficient	
- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	not determined
Viscosity	not determined
Explosive properties	none
Oxidising properties	none

### 9.2 Other information

Volatiles (weight%): 100%  
VOC Content: not determined

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### 10.5 Incompatible materials

Oxidisers.

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## AirRepair Primer PW-1

Version number: 1.0

Date of compilation: 2020-07-08

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification according to GHS (1272/2008/EC, CLP)

#### Acute toxicity

Shall not be classified as acutely toxic.

#### - acute toxicity of components of the mixture

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	inhalation: vapour	LC50	>23.3 mg/l/4h	rat
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	dermal	LD50	>2,800 – 3,100 mg/kg	rat
Cyclohexane	110-82-7	oral	LD50	>5,000 mg/kg	rat
Cyclohexane	110-82-7	inhalation: vapour	LC50	>32,880 mg/m <sup>3</sup> /4h	rat
Cyclohexane	110-82-7	dermal	LD50	>2,000 mg/kg	rabbit
alpha-pinene and beta-pinene oligomers	31393-98-3	oral	LD50	>2,000 mg/kg	rat
2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	oral	LD50	10,000 mg/kg	rat
2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	inhalation: dust/mist	LC50	>590 mg/m <sup>3</sup> /4h	rat

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitisation

May cause an allergic skin reaction.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## AirRepair Primer PW-1

Version number: 1.0

Date of compilation: 2020-07-08

### SECTION 12: Ecological information

#### 12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	LL50	>13.4 mg/l	fish	96 h
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	EL50	12 mg/l	aquatic invertebrates	24 h
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	EC50	0.64 mg/l	aquatic invertebrates	48 h
Cyclohexane	110-82-7	LC50	4.53 mg/l	fish	96 h
Cyclohexane	110-82-7	EC50	0.9 mg/l	aquatic invertebrates	48 h
Cyclohexane	110-82-7	ErC50	9.317 mg/l	algae	72 h
Cyclohexane	110-82-7	NOEC	0.952 mg/l	algae	72 h
alpha-pinene and beta-pinene oligomers	31393-98-3	EL50	>1 mg/l	aquatic invertebrates	48 h
alpha-pinene and beta-pinene oligomers	31393-98-3	NOEC	1 mg/l	aquatic invertebrates	48 h
2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	LC50	>0.17 mg/l	fish	96 h
2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	EC50	>1,000 mg/l	aquatic invertebrates	24 h
2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	ErC50	>82.2 µg/l	algae	72 h
2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	NOEC	0.17 mg/l	fish	96 h
2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	growth rate (Er-Cx) 10%	58.8 µg/l	algae	72 h
2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	growth (EbCx) 10%	<0.167 µg/l	algae	72 h

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	EL50	1.6 mg/l	aquatic invertebrates	21 d
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	EC50	0.23 mg/l	aquatic invertebrates	21 d
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	NOEC	0.17 mg/l	aquatic invertebrates	21 d
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	LOEC	0.32 mg/l	aquatic invertebrates	21 d
alpha-pinene and beta-pinene oligomers	31393-98-3	EL50	368.9 µg/l	aquatic invertebrates	21 d
alpha-pinene and beta-pinene oligomers	31393-98-3	EC50	>1,000 mg/l	microorganisms	3 h

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## AirRepair Primer PW-1

Version number: 1.0

Date of compilation: 2020-07-08

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
alpha-pinene and beta-pinene oligomers	31393-98-3	NOEC	≥1,000 mg/l	microorganisms	3 h
2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	EC50	0.015 mg/l	aquatic invertebrates	21 d
2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	NOEC	0.013 mg/l	aquatic invertebrates	21 d
2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	LOEC	0.041 mg/l	aquatic invertebrates	21 d
2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	growth (EbCx) 20%	>100 mg/l	microorganisms	3 h

### 12.2 Persistence and degradability

Degradability of components of the mixture						
Name of substance	CAS No	Process	Degradation rate	Time	Method	Source
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	oxygen depletion	83 %	16 d		ECHA
Cyclohexane	110-82-7	oxygen depletion	77 %	28 d		ECHA
alpha-pinene and beta-pinene oligomers	31393-98-3	oxygen depletion	4 %	28 d		ECHA
2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	carbon dioxide generation	0 %	28 d		ECHA

### 12.3 Bioaccumulative potential

Bioaccumulative potential of components of the mixture				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Cyclohexane	110-82-7	167	3.44 (pH value: 7, 25 °C)	
alpha-pinene and beta-pinene oligomers	31393-98-3		>7.41 - <8.02 (pH value: ~6.5, 30 °C)	
2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	123 - 494	4.2 (pH value: 6.3, 25 °C)	

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

### 12.6 Other adverse effects

Data are not available.

#### Endocrine disrupting potential

None of the ingredients are listed.

## AirRepair Primer PW-1

Version number: 1.0

Date of compilation: 2020-07-08

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment.

Waste treatment of containers/packages

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks



Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

### SECTION 14: Transport information

- |  |   |
|--|---|
| <b>14.1 UN number</b>  | 3175  |
| <b>14.2 UN proper shipping name</b>  | SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.                    |
| Technical name (Hazardous ingredients)   | Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics, Cyclohexane |
| <b>14.3 Transport hazard class(es)</b>   |   |
| Class  | 4.1 (flammable solids) (environmentally hazardous)            |
| <b>14.4 Packing group</b>  | II (substance presenting medium danger)                       |
| <b>14.5 Environmental hazards</b>  | hazardous to the aquatic environment                          |
| Environmentally hazardous substance (aquatic environment)                      | Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics              |
| <b>14.6 Special precautions for user</b>                                       |   |
| Provisions for dangerous goods (ADR) should be complied within the premises.   |   |
| <b>14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code</b> |   |
| No data available.   |   |

#### Information for each of the UN Model Regulations

##### **Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)**

UN number	3175
Proper shipping name	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
Class	4.1
Classification code	F1
Packing group	II
Danger label(s)	4.1, fish and tree
 	
Environmental hazards	yes (hazardous to the aquatic environment)
Special provisions (SP)	216, 274, 601, 800(ADN)
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
Transport category (TC)	2



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## AirRepair Primer PW-1

Version number: 1.0

Date of compilation: 2020-07-08

Tunnel restriction code (TRC)	E
Hazard identification No	40
Emergency Action Code	1Z
<b>International Maritime Dangerous Goods Code (IMDG)</b>	
UN number	3175
Proper shipping name	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
Class	4.1
Marine pollutant	yes (hazardous to the aquatic environment)
Packing group	II
Danger label(s)	4.1, fish and tree



Special provisions (SP)	216, 274
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
EmS	F-A, S-I
Stowage category	B

### International Civil Aviation Organization (ICAO-IATA/DGR)

UN number	3175
Proper shipping name	Solids containing flammable liquid, n.o.s.
Class	4.1
Environmental hazards	yes (hazardous to the aquatic environment)
Packing group	II
Danger label(s)	4.1



Special provisions (SP)	A46
Excepted quantities (EQ)	E2
Limited quantities (LQ)	5 kg

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Relevant provisions of the European Union (EU)

#### Restrictions according to REACH, Annex XVII

Name	Name acc. to inventory	Restriction	No
AirRepair Primer PW-1	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC	R3	3
Cyclohexane	cyclohexane	R57	57
Cyclohexane	flammable / pyrophoric	R40	40
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	flammable / pyrophoric	R40	40

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## AirRepair Primer PW-1

Version number: 1.0

Date of compilation: 2020-07-08

### Legend

R3

1. Shall not be used in:
  - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ash-trays,
  - tricks and jokes,
  - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
2. Articles not complying with paragraph 1 shall not be placed on the market.
3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
  - can be used as fuel in decorative oil lamps for supply to the general public, and,
  - present an aspiration hazard and are labelled with R65 or H304,
4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
  - (a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil - or even sucking the wick of lamps - may lead to life-threatening lung damage';
  - (b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage';
  - (c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.
6. No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public.
7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission.

R40

1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:
  - metallic glitter intended mainly for decoration,
  - artificial snow and frost,
  - 'whoopee' cushions,
  - silly string aerosols,
  - imitation excrement,
  - horns for parties,
  - decorative flakes and foams,
  - artificial cobwebs,
  - stink bombs.
2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:
  - 'For professional users only'.
3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

R57

1. Shall not be placed on the market for the first time after 27 June 2010, for supply to the general public, as a constituent of neoprene-based contact adhesives in concentrations equal to or greater than 0,1 % by weight in package sizes greater than 350 g.
2. Neoprene-based contact adhesives containing cyclohexane and not conforming to paragraph 1 shall not be placed on the market for supply to the general public after 27 December 2010.
3. Without prejudice to other Community legislation concerning the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that neoprene-based contact adhesives containing cyclohexane in concentrations equal to or greater than 0,1 % by weight that are placed on the market for supply to the general public after 27 December 2010 are visibly, legibly and indelibly marked as follows:
  - This product is not to be used under conditions of poor ventilation.
  - This product is not to be used for carpet laying.'

### List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

None of the ingredients are listed.

### Seveso Directive

2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements		Notes
E2	environmental hazards (hazardous to the aquatic environment, cat. 2)	200	500	57)

### Notation

57) hazardous to the Aquatic Environment in category Chronic 2

## AirRepair Primer PW-1

Version number: 1.0

Date of compilation: 2020-07-08

### Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

None of the ingredients are listed.

### Water Framework Directive (WFD)

None of the ingredients are listed.

### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

## SECTION 16: Other information

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
Asp. Tox.	Aspiration hazard
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> )
EINECS	European Inventory of Existing Commercial Chemical Substances
EL50	Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## AirRepair Primer PW-1

Version number: 1.0

Date of compilation: 2020-07-08

Abbr.	Descriptions of used abbreviations
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LL50	Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality
LOEC	Lowest Observed Effect Concentration
log KOW	n-Octanol/water
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present
NLP	No-Longer Polymer
NOEC	No Observed Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## AirRepair Primer PW-1

Version number: 1.0

Date of compilation: 2020-07-08

### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.