

Polywater® RBG – Rubber Goods Cleaner

Version number: 1.0

Date of compilation: 2019-08-28

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	Polywater® RBG – Rubber Goods Cleaner
Registration number (REACH)	not relevant (mixture)
Alternative number(s)	article number RBG-XXXX

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Professional use
--------------------------	------------------

1.3 Details of the supplier of the safety data sheet

Polywater Europe BV
Zuidhaven 9-11 Unit B2
4761 CR Zevenbergen
Netherlands

Telephone: +31 (0)10 2330578
e-mail: sds@polywater.com
Website: www.polywater.com

e-mail (competent person)	sds@polywater.com
---------------------------	-------------------

1.4 Emergency telephone number

Emergency information service	+31 (0)10 2330578 This number is only available during the following office hours: Mon-Fri 09:00 - 17:00
-------------------------------	---

Poison centre		
Country	Name	Telephone
United Kingdom	NHS (general public)	non-emergency: 111 or a doctor; emergency: 999

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and category	Hazard statement
3.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319

Based on an OECD 435 test, the product should be classified as eye irritant category 2

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- signal word warning

- pictograms

GHS07



- hazard statements

H319 Causes serious eye irritation.

Polywater® RBG – Rubber Goods Cleaner

Version number: 1.0

Date of compilation: 2019-08-28

- precautionary statements

- P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337+P313 If eye irritation persists: Get medical advice/attention.

2.3 Other hazards

Of no significance.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.







SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures


The product does not contain any (other) ingredients which are classified according to present knowledge of the supplier and contribute to the classification of the substance and hence require reporting in this section.

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes	Specific Conc. Limits	M-Factors
Tetrasodium ethylenediaminetetraacetate	CAS No 64-02-8 10378-23-1 EC No 200-573-9 Index No 607-428-00-2 REACH Reg. No 01- 2119486762 -27-xxxx	1.78	Acute Tox. 4 / H302 Acute Tox. 4 / H332 Eye Dam. 1 / H318 STOT RE 2 / H373	  			
Alcohols, C9-11 ethoxylated, < 2.5 EO	CAS No 68439-46-3 EC No 614-482-0	1.734	Eye Irrit. 2 / H319				
Quaternary coco alkylamine ethoxylate	CAS No 61791-10-4 EC No 612-393-1	1.734	Eye Dam. 1 / H318 Aquatic Chronic 2 / H411	 			

Polywater® RBG – Rubber Goods Cleaner

Version number: 1.0

Date of compilation: 2019-08-28

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes	Specific Conc. Limits	M-Factors
Sodium carbonate	CAS No 497-19-8 6132-02-1 7440-23-5 EC No 207-838-8 Index No 011-005-00-2 REACH Reg. No 01- 2119485498 -19-xxxx	1.526	Eye Irrit. 2 / H319		GHS-HC		

Notes

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)

Remarks

For full text of H-phrases: see SECTION 16. All the percentages given are percentages by weight unless stated otherwise.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

Provide fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. If eye irritation persists: Get medical advice/attention.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Call a POISON CENTER or doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

For specialist advice physicians should contact the poison centre.

Polywater® RBG – Rubber Goods Cleaner

Version number: 1.0

Date of compilation: 2019-08-28

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Dry extinguishing powder; Carbon dioxide (CO₂)

Unsuitable extinguishing media

Water jet.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

During fire hazardous fumes/smoke could be produced. Carbon monoxide (CO). Carbon dioxide (CO₂).

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters

Self-contained breathing apparatus (EN 133). Standard protective clothing for firefighters.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Ventilate affected area.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Use personal protective equipment as required.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece).

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Polywater® RBG – Rubber Goods Cleaner

Version number: 1.0

Date of compilation: 2019-08-28

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- measures to prevent fire as well as aerosol and dust generation
- Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- incompatible substances or mixtures
- Keep away from alkalis, oxidising substances, acids.

Control of effects

Protect against external exposure, such as

- High temperatures. Frost. UV-radiation/sunlight.

Consideration of other advice

Store in a well-ventilated place. Keep container tightly closed.

7.3 Specific end use(s)

There is no additional information.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

No information available.

Relevant DNELs/DMELs/PNECs and other threshold levels

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Tetrasodium ethylenediaminetetraacetate	64-02-8 10378-23-1	DNEL	1.5 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
Tetrasodium ethylenediaminetetraacetate	64-02-8 10378-23-1	DNEL	3 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
Tetrasodium ethylenediaminetetraacetate	64-02-8 10378-23-1	DNEL	0.6 mg/m ³	human, inhalatory	consumer (private households)	chronic - local effects
Tetrasodium ethylenediaminetetraacetate	64-02-8 10378-23-1	DNEL	1.2 mg/m ³	human, inhalatory	consumer (private households)	acute - local effects
Tetrasodium ethylenediaminetetraacetate	64-02-8 10378-23-1	DNEL	25 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects
Alcohols, C9-11 ethoxylated, < 2.5 EO	68439-46-3	DNEL	294 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Alcohols, C9-11 ethoxylated, < 2.5 EO	68439-46-3	DNEL	2,080 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Alcohols, C9-11 ethoxylated, < 2.5 EO	68439-46-3	DNEL	87 mg/m ³	human, inhalatory	consumer (private households)	chronic - systemic effects

Polywater® RBG – Rubber Goods Cleaner

Version number: 1.0

Date of compilation: 2019-08-28

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Alcohols, C9-11 ethoxylated, < 2.5 EO	68439-46-3	DNEL	1,250 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
Alcohols, C9-11 ethoxylated, < 2.5 EO	68439-46-3	DNEL	25 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects
Sodium carbonate	497-19-8 6132-02-1 7440-23-5	DNEL	10 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
Sodium carbonate	497-19-8 6132-02-1 7440-23-5	DNEL	10 mg/m ³	human, inhalatory	consumer (private households)	acute - local effects

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Tetrasodium ethylenediaminetetraacetate	64-02-8 10378-23-1	PNEC	2.2 mg/l	aquatic organisms	freshwater	short-term (single instance)
Tetrasodium ethylenediaminetetraacetate	64-02-8 10378-23-1	PNEC	0.22 mg/l	aquatic organisms	marine water	short-term (single instance)
Tetrasodium ethylenediaminetetraacetate	64-02-8 10378-23-1	PNEC	43 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Tetrasodium ethylenediaminetetraacetate	64-02-8 10378-23-1	PNEC	0.72 mg/kg	terrestrial organisms	soil	short-term (single instance)
Alcohols, C9-11 ethoxylated, < 2.5 EO	68439-46-3	PNEC	0.104 mg/l	aquatic organisms	freshwater	short-term (single instance)
Alcohols, C9-11 ethoxylated, < 2.5 EO	68439-46-3	PNEC	0.104 mg/l	aquatic organisms	marine water	short-term (single instance)
Alcohols, C9-11 ethoxylated, < 2.5 EO	68439-46-3	PNEC	1.4 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Alcohols, C9-11 ethoxylated, < 2.5 EO	68439-46-3	PNEC	13.7 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Alcohols, C9-11 ethoxylated, < 2.5 EO	68439-46-3	PNEC	13.7 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Alcohols, C9-11 ethoxylated, < 2.5 EO	68439-46-3	PNEC	1 mg/kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection (EN 166).

Skin protection

Protective clothing (EN 340 & EN ISO 13688).

- hand protection



Polywater® RBG – Rubber Goods Cleaner

Version number: 1.0

Date of compilation: 2019-08-28

Wear suitable gloves. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Chemical protection gloves are suitable, which are tested according to EN 374. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- type of material

Nitrile rubber

- material thickness

Use gloves with a minimum material thickness: $\geq 0,4$ mm.

- breakthrough times of the glove material

Use gloves with a minimum breakthrough times of the glove material: >480 minutes (permeation: level 6).

- other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid
Colour	various
Odour	characteristic

Other safety parameters

pH (value)	not determined
Melting point/freezing point	0 °C
Initial boiling point and boiling range	100 °C
Flash point	not determined
Evaporation rate	not determined
Flammability (solid, gas)	not relevant, (fluid)
Vapour pressure	not determined
Density	not determined
Vapour density	this information is not available
Relative density	1.02 (water = 1)
Solubility(ies)	not determined

Polywater® RBG – Rubber Goods Cleaner

Version number: 1.0

Date of compilation: 2019-08-28

Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	not determined
Viscosity	not determined
Explosive properties	none
Oxidising properties	none

9.2 Other information

There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers.

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

- acute toxicity of components of the mixture

Acute toxicity estimate (ATE) of components of the mixture			
Name of substance	CAS No	Exposure route	ATE
Tetrasodium ethylenediaminetetraacetate	64-02-8 10378-23-1	oral	1,913 mg/kg
Tetrasodium ethylenediaminetetraacetate	64-02-8 10378-23-1	inhalation: dust/mist	1.5 mg/l/4h

Polywater® RBG – Rubber Goods Cleaner

Version number: 1.0

Date of compilation: 2019-08-28

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Tetrasodium ethylenediaminetetraacetate	64-02-8 10378-23-1	oral	LD50	1,913 mg/kg	rat
Alcohols, C9-11 ethoxylated, < 2.5 EO	68439-46-3	oral	LD50	4,600 mg/kg	rat
Sodium carbonate	497-19-8 6132-02-1 7440-23-5	oral	LD50	2,800 mg/kg	rat
Sodium carbonate	497-19-8 6132-02-1 7440-23-5	dermal	LD50	>2,000 mg/kg	rabbit

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation. Based on an OECD 435 test, the product should be classified as eye irritant category 2.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Tetrasodium ethylenediaminetetraacetate	64-02-8 10378-23-1	LC50	41 mg/l	fish	96 h
Tetrasodium ethylenediaminetetraacetate	64-02-8 10378-23-1	EC50	140 mg/l	aquatic invertebrates	48 h
Alcohols, C9-11 ethoxylated, < 2.5 EO	68439-46-3	LC50	7 mg/l	fish	96 h
Alcohols, C9-11 ethoxylated, < 2.5 EO	68439-46-3	EC50	2.5 mg/l	aquatic invertebrates	48 h

Polywater® RBG – Rubber Goods Cleaner

Version number: 1.0

Date of compilation: 2019-08-28

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Sodium carbonate	497-19-8 6132-02-1 7440-23-5	LC50	300 mg/l	fish	96 h
Sodium carbonate	497-19-8 6132-02-1 7440-23-5	EC50	227 mg/l	aquatic invertebrates	48 h

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Tetrasodium ethylene-diaminetetraacetate	64-02-8 10378-23-1	NOEC	≥25.7 mg/l	fish	35 d
Tetrasodium ethylene-diaminetetraacetate	64-02-8 10378-23-1	LOEC	50 mg/l	aquatic invertebrates	21 d
Tetrasodium ethylene-diaminetetraacetate	64-02-8 10378-23-1	growth (EbCx) 20%	>500 mg/l	microorganisms	30 min
Alcohols, C9-11 ethoxylated, < 2.5 EO	68439-46-3	EC50	140 mg/l	microorganisms	3 h

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Other adverse effects

Data are not available.

Endocrine disrupting potential

None of the ingredients are listed.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

Polywater® RBG – Rubber Goods Cleaner

Version number: 1.0

Date of compilation: 2019-08-28

SECTION 14: Transport information

14.1 UN number	not subject to transport regulations
14.2 UN proper shipping name	not relevant
14.3 Transport hazard class(es)	none
14.4 Packing group	not assigned to a packing group
14.5 Environmental hazards	non-environmentally hazardous acc. to the dangerous goods regulations
14.6 Special precautions for user	There is no additional information.
14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code	No data available.

Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

Not subject to ADR, RID and ADN.

International Maritime Dangerous Goods Code (IMDG)

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR)

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	No
Polywater® RBG – Rubber Goods Cleaner	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		R3	3

Legend

R3

- Shall not be used in:
 - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ash-trays,
 - tricks and jokes,
 - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
- Articles not complying with paragraph 1 shall not be placed on the market.
- Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
 - can be used as fuel in decorative oil lamps for supply to the general public, and,
 - present an aspiration hazard and are labelled with R65 or H304,
- Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
- Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
 - lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil - or even sucking the wick of lamps - may lead to life-threatening lung damage';
 - grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage';
 - lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.
- No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public.
- Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the com-

Polywater® RBG – Rubber Goods Cleaner

Version number: 1.0

Date of compilation: 2019-08-28

Legend

petent authority in the Member State concerned. Member States shall make those data available to the Commission.

List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

None of the ingredients are listed.

Seveso Directive

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
	not assigned		

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

None of the ingredients are listed.

Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

None of the ingredients are listed.

Regulation 98/2013/EU on the marketing and use of explosives precursors

None of the ingredients are listed.

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Polywater® RBG – Rubber Goods Cleaner

Version number: 1.0

Date of compilation: 2019-08-28

Abbr.	Descriptions of used abbreviations
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LOEC	Lowest Observed Effect Concentration
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
NOEC	No Observed Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STOT RE	Specific target organ toxicity - repeated exposure
SVHC	Substance of Very High Concern
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Based on an OECD 435 test, the product should be classified as eye irritant category 2

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Polywater® RBG – Rubber Goods Cleaner

Version number: 1.0

Date of compilation: 2019-08-28

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.