

## Type RP Wipe

Version number: 1.1

Date of compilation: 2020-07-16

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name **Type RP Wipe**  
Registration number (REACH) not relevant (mixture)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Professional use

#### 1.3 Details of the supplier of the safety data sheet

Polywater Europe BV  
Zuidhaven 9-11 Unit B2  
4761 CR Zevenbergen  
The Netherlands

Telephone: +31 (0)10 2330578  
e-mail: sds@polywater.com  
Website: www.polywater.com

e-mail (competent person) sds@polywater.com

#### 1.4 Emergency telephone number

Emergency information service +31 (0)10 2330578  
This number is only available during the following office hours: Mon-Fri 09:00 - 17:00

Poison centre		
Country	Name	Telephone
United Kingdom	NHS (general public)	non-emergency: 111 or a doctor; emergency: 999

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and category	Hazard statement
2.7	flammable solid	1	Flam. Sol. 1	H228
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
3.8D	specific target organ toxicity - single exposure (narcotic effects, drowsiness)	3	STOT SE 3	H336
4.1C	hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- signal word Danger

- pictograms

GHS02, GHS07,  
GHS09



## Type RP Wipe

Version number: 1.1

Date of compilation: 2020-07-16

- hazard statements

H228	Flammable solid.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

- precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P243	Take action to prevent static discharges.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/....
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor/...
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P331	Do NOT induce vomiting.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.

- hazardous ingredients for labelling

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics; 2-Methylpentane; n-Pentane; 1-methoxy-2-propanol

Labelling of packages where the contents do not exceed 125 ml

- signal word danger

- hazard pictogram(s)

Danger. GHS02,  
GHS07,  
GHS09



- hazard statements

- contains Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics, 2-Methylpentane, n-Pentane, 1-methoxy-2-propanol

### 2.3 Other hazards

Of no significance.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not relevant (mixture)

### 3.2 Mixtures

The product does not contain any (other) ingredients which are classified according to present knowledge of the supplier and contribute to the classification of the product and hence require reporting in this section.

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes	Specific Conc. Limits	M-Factors
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	CAS No 64742-49-0  EC No 927-510-4  REACH Reg. No 01- 2119475515 -33-xxxx	25 – < 50	Flam. Liq. 2 / H225 Skin Irrit. 2 / H315 STOT SE 3 / H336 Asp. Tox. 1 / H304 Aquatic Chronic 2 / H411	   			














# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## Type RP Wipe

Version number: 1.1

Date of compilation: 2020-07-16

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes	Specific Conc. Limits	M-Factors
2-Methylpentane	CAS No 107-83-5  EC No 203-523-4  REACH Reg. No 01- 2120768140 -61-xxxx	25 – < 50	Flam. Liq. 2 / H225 Skin Irrit. 2 / H315 STOT SE 3 / H336 Asp. Tox. 1 / H304	  			
n-Pentane	CAS No 109-66-0  EC No 203-692-4  Index No 601-006-00- 1  REACH Reg. No 01- 2119459286 -30-xxxx	5 – < 10	Flam. Liq. 2 / H225 Skin Irrit. 2 / H315 STOT SE 3 / H336 Asp. Tox. 1 / H304 Aquatic Chronic 2 / H411 EUH066	   	IOELV		
1-methoxy-2-propanol	CAS No 107-98-2  EC No 203-539-1  REACH Reg. No 01- 2119457435 -35-xxxx	2.5 – < 5	Flam. Liq. 3 / H226 STOT SE 3 / H336	 			
n-hexane; hexane	CAS No 110-54-3  EC No 269-792-5 203-777-6  Index No 601-037-00- 0  REACH Reg. No 01- 2119480412 -44-xxxx	1 – < 2.5	Flam. Liq. 2 / H225 Skin Irrit. 2 / H315 Repr. 2 / H361f STOT SE 3 / H336 STOT RE 2 / H373 Asp. Tox. 1 / H304 Aquatic Chronic 2 / H411	   	IOELV	STOT RE 2; H373: C ≥ 5 %	

**Notes**

IOELV: Substance with a community indicative occupational exposure limit value

**Remarks**

For full text of H-phrases: see SECTION 16. All the percentages given are percentages by weight unless stated otherwise.

## Type RP Wipe

Version number: 1.1

Date of compilation: 2020-07-16

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

##### General notes

Do not leave affected person unattended. Remove victim out of the danger area. In case of unconsciousness place person in the recovery position. Never give anything by mouth. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice.

##### Following inhalation

Provide fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician.

##### Following skin contact

Rinse skin with water/shower. Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

##### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. If eye irritation persists: Get medical advice/attention.

##### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Call a POISON CENTER/doctor.

#### 4.2 Most important symptoms and effects, both acute and delayed

Narcotic effects.

#### 4.3 Indication of any immediate medical attention and special treatment needed

For specialist advice physicians should contact the poison centre.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing media

Water; Foam; Dry extinguishing powder; ABC-powder

##### Unsuitable extinguishing media

Water jet.

#### 5.2 Special hazards arising from the substance or mixture

Deposited combustible dust has considerable explosion potential.

##### Hazardous combustion products

During fire hazardous fumes/smoke could be produced.

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

##### Special protective equipment for firefighters

Self-contained breathing apparatus (EN 133). Standard protective clothing for firefighters.

## Type RP Wipe

Version number: 1.1

Date of compilation: 2020-07-16

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Ventilate affected area. Control of dust.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Use personal protective equipment as required.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

#### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Recommendations

- measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Take precautionary measures against static discharge. Use only in well-ventilated areas. Ground/bond container and receiving equipment.

- specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- explosive atmospheres

Removal of dust deposits.

- flammability hazards

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

- incompatible substances or mixtures

Keep away from alkalis, oxidising substances, acids.

Control of effects

Protect against external exposure, such as

High temperatures. UV-radiation/sunlight.

## Type RP Wipe

Version number: 1.1

Date of compilation: 2020-07-16

### Consideration of other advice

Store in a well-ventilated place. Keep container tightly closed.

### - ventilation requirements

Use local and general ventilation.

### - packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

### 7.3 Specific end use(s)

There is no additional information.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### National limit values

Occupational exposure limit values (Workplace Exposure Limits)									
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Notation	Source
EU	1-methoxy-2-propanol	107-98-2	IOELV	100	375	150	568		2000/39/EC
EU	n-pentane	109-66-0	IOELV	1,000	3,000				2006/15/EC
EU	n-hexane	110-54-3	IOELV	20	72				2006/15/EC
GB	dust		WEL		10			i	EH40/2005
GB	dust		WEL		4			r	EH40/2005
GB	hydrocarbon mixture (RCP method)		WEL		300		600		EH40/2005
GB	1-methoxypropan-2-ol	107-98-2	WEL	100	375	150	560		EH40/2005
GB	pentane	109-66-0	WEL	600	1,800				EH40/2005
GB	n-hexane	110-54-3	WEL	20	72				EH40/2005

#### Notation

i inhalable fraction

r respirable fraction

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

### Relevant DNELs/DMELs/PNECs and other threshold levels

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	DNEL	2,085 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	DNEL	300 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	DNEL	447 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - systemic effects

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## Type RP Wipe

Version number: 1.1

Date of compilation: 2020-07-16

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	DNEL	149 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	DNEL	149 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects
n-Pentane	109-66-0	DNEL	3,000 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
n-Pentane	109-66-0	DNEL	432 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
n-Pentane	109-66-0	DNEL	643 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - systemic effects
n-Pentane	109-66-0	DNEL	214 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
n-Pentane	109-66-0	DNEL	214 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects
1-methoxy-2-propanol	107-98-2	DNEL	369 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
1-methoxy-2-propanol	107-98-2	DNEL	553.5 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
1-methoxy-2-propanol	107-98-2	DNEL	553.5 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects
1-methoxy-2-propanol	107-98-2	DNEL	183 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
1-methoxy-2-propanol	107-98-2	DNEL	43.9 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - systemic effects
1-methoxy-2-propanol	107-98-2	DNEL	78 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
1-methoxy-2-propanol	107-98-2	DNEL	33 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects
n-hexane; hexane	110-54-3	DNEL	75 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
n-hexane; hexane	110-54-3	DNEL	11 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
n-hexane; hexane	110-54-3	DNEL	16 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - systemic effects
n-hexane; hexane	110-54-3	DNEL	5.3 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
n-hexane; hexane	110-54-3	DNEL	4 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
n-Pentane	109-66-0	PNEC	230 µg/l	aquatic organisms	freshwater	short-term (single instance)

## Type RP Wipe

Version number: 1.1

Date of compilation: 2020-07-16

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
n-Pentane	109-66-0	PNEC	230 µg/l	aquatic organisms	marine water	short-term (single instance)
n-Pentane	109-66-0	PNEC	3,600 µg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
n-Pentane	109-66-0	PNEC	1.2 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
n-Pentane	109-66-0	PNEC	1.2 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
n-Pentane	109-66-0	PNEC	0.55 mg/kg	terrestrial organisms	soil	short-term (single instance)
1-methoxy-2-propanol	107-98-2	PNEC	100 mg/l	microorganisms	sewage treatment plant (STP)	short-term (single instance)
1-methoxy-2-propanol	107-98-2	PNEC	52.3 mg/kg	benthic organisms	sediments	short-term (single instance)
1-methoxy-2-propanol	107-98-2	PNEC	5.2 mg/kg	pelagic organisms	sediments	short-term (single instance)
1-methoxy-2-propanol	107-98-2	PNEC	100 mg/l	aquatic organisms	water	intermittent release
1-methoxy-2-propanol	107-98-2	PNEC	10 mg/l	aquatic organisms	freshwater	short-term (single instance)
1-methoxy-2-propanol	107-98-2	PNEC	1 mg/l	aquatic organisms	marine water	short-term (single instance)
1-methoxy-2-propanol	107-98-2	PNEC	100 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
1-methoxy-2-propanol	107-98-2	PNEC	52.3 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
1-methoxy-2-propanol	107-98-2	PNEC	5.2 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
1-methoxy-2-propanol	107-98-2	PNEC	4.59 mg/kg	terrestrial organisms	soil	short-term (single instance)

## 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection (EN 166).

Skin protection

Protective clothing (EN 340 & EN ISO 13688).

- hand protection



Chemical protection gloves are suitable, which are tested according to EN 374. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## Type RP Wipe

Version number: 1.1

Date of compilation: 2020-07-16

- breakthrough times of the glove material

Use gloves with a minimum breakthrough times of the glove material: >480 minutes (permeation: level 6).

- other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state	solid
Colour	colourless
Odour	mild

#### Other safety parameters

pH (value)	not applicable
Melting point/freezing point	not determined
Initial boiling point and boiling range	62 °C
Flash point	-7 °C
Evaporation rate	>2 (n-butyl acetate = 1)
Flammability (solid, gas)	flammable solid in accordance with GHS criteria
Vapour pressure	not determined
Density	0.72 g/cm <sup>3</sup>
Vapour density	>1 (air=1)
Solubility(ies)	not determined

#### Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	not determined
Viscosity	not relevant (solid matter)
Explosive properties	none
Oxidising properties	none

## Type RP Wipe

Version number: 1.1

Date of compilation: 2020-07-16

### 9.2 Other information

There is no additional information.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition.

### 10.2 Chemical stability

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

### 10.5 Incompatible materials

Oxidisers.

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

- acute toxicity of components of the mixture

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	inhalation: vapour	LC50	>23.3 mg/l/4h	rat
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	dermal	LD50	>2,800 – 3,100 mg/kg	rat
2-Methylpentane	107-83-5	oral	LD50	15.84 mg/kg	rat
n-Pentane	109-66-0	oral	LD50	>5,000 mg/kg	rat
n-Pentane	109-66-0	inhalation: vapour	LC50	>25.3 mg/l/4h	rat
1-methoxy-2-propanol	107-98-2	oral	LD50	4,277 mg/kg	rat

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## Type RP Wipe

Version number: 1.1

Date of compilation: 2020-07-16

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
1-methoxy-2-propanol	107-98-2	dermal	LD50	>2,000 mg/kg	rat

### Skin corrosion/irritation

Causes skin irritation.

### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## SECTION 12: Ecological information

### 12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	LL50	>13.4 mg/l	fish	96 h
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	EL50	12 mg/l	aquatic invertebrates	24 h
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	EC50	0.64 mg/l	aquatic invertebrates	48 h
2-Methylpentane	107-83-5	LC50	3.649 mg/l	aquatic invertebrates	48 h
2-Methylpentane	107-83-5	EC50	4.321 mg/l	algae	96 h
n-Pentane	109-66-0	LL50	27.55 mg/l	fish	96 h
n-Pentane	109-66-0	EL50	48.11 mg/l	aquatic invertebrates	48 h
n-Pentane	109-66-0	NOEC	4.549 mg/l	algae	72 h
1-methoxy-2-propanol	107-98-2	LC50	<10,000 mg/l	fish	96 h

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## Type RP Wipe

Version number: 1.1

Date of compilation: 2020-07-16

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
1-methoxy-2-propanol	107-98-2	NOEC	4,640 mg/l	fish	96 h
n-hexane; hexane	110-54-3	LL50	12.51 mg/l	fish	96 h
n-hexane; hexane	110-54-3	EL50	21.85 mg/l	aquatic invertebrates	48 h

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	EL50	1.6 mg/l	aquatic invertebrates	21 d
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	EC50	0.23 mg/l	aquatic invertebrates	21 d
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	NOEC	0.17 mg/l	aquatic invertebrates	21 d
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	LOEC	0.32 mg/l	aquatic invertebrates	21 d
1-methoxy-2-propanol	107-98-2	ErC50	>1,000 mg/l	algae	7 d

### 12.2 Persistence and degradability

Degradability of components of the mixture						
Name of substance	CAS No	Process	Degradation rate	Time	Method	Source
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	oxygen depletion	83 %	16 d		ECHA
2-Methylpentane	107-83-5	oxygen depletion	93 %	28 d		ECHA
n-Pentane	109-66-0	oxygen depletion	3 %	7 d		ECHA
1-methoxy-2-propanol	107-98-2	DOC removal	96 %	28 d		ECHA
n-hexane; hexane	110-54-3	oxygen depletion	83 %	10 d		ECHA

### 12.3 Bioaccumulative potential

Bioaccumulative potential of components of the mixture				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
2-Methylpentane	107-83-5		3.214 (pH value: 7, 25 °C)	
n-Pentane	109-66-0	171	3.45 (pH value: 7, 25 °C)	
1-methoxy-2-propanol	107-98-2		<1 (pH value: 6.8, 20 °C)	
n-hexane; hexane	110-54-3	501.2	4 (pH value: 7, 20 °C)	

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

## Type RP Wipe

Version number: 1.1

Date of compilation: 2020-07-16

### 12.6 Other adverse effects

Data are not available.

Endocrine disrupting potential

None of the ingredients are listed.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment.

Waste treatment of containers/packages

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

### Remarks



Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

## SECTION 14: Transport information

<b>14.1 UN number</b>	3175
<b>14.2 UN proper shipping name</b>	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
Technical name (Hazardous ingredients)	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics, 2-Methylpentane
<b>14.3 Transport hazard class(es)</b>	
Class	4.1 (flammable solids) (environmentally hazardous)
<b>14.4 Packing group</b>	II (substance presenting medium danger)
<b>14.5 Environmental hazards</b>	hazardous to the aquatic environment
Environmentally hazardous substance (aquatic environment)	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics
<b>14.6 Special precautions for user</b>	
	Provisions for dangerous goods (ADR) should be complied within the premises.
<b>14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code</b>	
	No data available.

### Information for each of the UN Model Regulations

#### **Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)**

UN number	3175
Proper shipping name	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
Class	4.1
Classification code	F1
Packing group	II
Danger label(s)	4.1, fish and tree
 	
Environmental hazards	yes (hazardous to the aquatic environment)
Special provisions (SP)	216, 274, 601, 800(ADN)

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## Type RP Wipe

Version number: 1.1

Date of compilation: 2020-07-16

Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
Transport category (TC)	2
Tunnel restriction code (TRC)	E
Hazard identification No	40
Emergency Action Code	1Z
<b>International Maritime Dangerous Goods Code (IMDG)</b>	
UN number	3175
Proper shipping name	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
Class	4.1
Marine pollutant	yes (hazardous to the aquatic environment)
Packing group	II
Danger label(s)	4.1, fish and tree
Special provisions (SP)	216, 274
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
EmS	F-A, S-I
Stowage category	B
<b>International Civil Aviation Organization (ICAO-IATA/DGR)</b>	
UN number	3175
Proper shipping name	Solids containing flammable liquid, n.o.s.
Class	4.1
Environmental hazards	yes (hazardous to the aquatic environment)
Packing group	II
Danger label(s)	4.1
Special provisions (SP)	A46
Excepted quantities (EQ)	E2
Limited quantities (LQ)	5 kg

### SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**  
**Relevant provisions of the European Union (EU)**  
**Restrictions according to REACH, Annex XVII**

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## Type RP Wipe

Version number: 1.1

Date of compilation: 2020-07-16

Name	Name acc. to inventory	Restriction	No
1-methoxy-2-propanol	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC	R3	3
1-methoxy-2-propanol	flammable / pyrophoric	R40	40
n-Pentane	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC	R3	3
n-Pentane	flammable / pyrophoric	R40	40
n-hexane; hexane	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC	R3	3
n-hexane; hexane	flammable / pyrophoric	R40	40
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC	R3	3
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	flammable / pyrophoric	R40	40
2-methylpentane	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC	R3	3
2-methylpentane	flammable / pyrophoric	R40	40

### Legend

R3

- Shall not be used in:
  - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ash-trays,
  - tricks and jokes,
  - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
- Articles not complying with paragraph 1 shall not be placed on the market.
- Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
  - can be used as fuel in decorative oil lamps for supply to the general public, and,
  - present an aspiration hazard and are labelled with R65 or H304,
- Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
- Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
  - lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil - or even sucking the wick of lamps - may lead to life-threatening lung damage';
  - grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage';
  - lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.
- No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public.
- Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission.

## Type RP Wipe

Version number: 1.1

Date of compilation: 2020-07-16

### Legend

R40

1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:
  - metallic glitter intended mainly for decoration,
  - artificial snow and frost,
  - 'whoopee' cushions,
  - silly string aerosols,
  - imitation excrement,
  - horns for parties,
  - decorative flakes and foams,
  - artificial cobwebs,
  - stink bombs.
2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:
  - 'For professional users only'.
3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

### List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

None of the ingredients are listed.

### Seveso Directive

2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements		Notes
E2	environmental hazards (hazardous to the aquatic environment, cat. 2)	200	500	57)

### Notation

57) hazardous to the Aquatic Environment in category Chronic 2

### Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

None of the ingredients are listed.

### Water Framework Directive (WFD)

None of the ingredients are listed.

### Regulation 98/2013/EU on the marketing and use of explosives precursors

None of the ingredients are listed.

## 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

## SECTION 16: Other information

### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)
2.2		Labelling of packages where the contents do not exceed 125 ml
2.2		- signal word: danger
2.2		- hazard pictogram(s): change in the listing (table)
2.2		- hazard statements: change in the listing (table)



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## Type RP Wipe

Version number: 1.1

Date of compilation: 2020-07-16

Section	Former entry (text/value)	Actual entry (text/value)
2.2		- contains: Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics, 2-Methylpentane, n-Pentane, 1-methoxy-2-propanol

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
Asp. Tox.	Aspiration hazard
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> )
EINECS	European Inventory of Existing Commercial Chemical Substances
EL50	Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## Type RP Wipe

Version number: 1.1

Date of compilation: 2020-07-16

Abbr.	Descriptions of used abbreviations
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LL50	Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality
LOEC	Lowest Observed Effect Concentration
log KOW	n-Octanol/water
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
NOEC	No Observed Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
RCP	Reciprocal calculation procedure
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## Type RP Wipe

Version number: 1.1

Date of compilation: 2020-07-16

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H228	Flammable solid.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H361f	Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.